


Aerial Map



©2022 AgriData, Inc.

Map Center: 39.250016, -93.646268





1-51N-25W
Carroll County
Missouri



10/5/2022

6 Tracts Combined Soil Map



State: **Missouri**
 County: **Carroll**
 Location: **1-51N-25W**
 Township: **Cherry Valley**
 Acres: **1120**
 Date: **10/5/2022**

Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: MO033, Soil Area Version: 24
 Area Symbol: MO107, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Corn Bu	Soybeans Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans	*n NCCPI Cotton
13527	Haynie very fine sandy loam, 0 to 2 percent slopes, occasionally flooded	254.22	22.7%		IIw	4	4		2	66	62	46	65
13507	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded	229.56	20.5%		IIw					67	67	62	59
13570	Parkville silty clay loam, 0 to 2 percent slopes, occasionally flooded	193.40	17.3%		IIw					63	58	44	63
66009	Haynie silt loam, 0 to 2 percent slopes, occasionally flooded	120.61	10.8%		IIw					60	60	40	54
66007	Leta silty clay, 0 to 2 percent slopes, occasionally flooded	105.50	9.4%		IIw					55	54	39	50
66006	Waldron silty clay loam, 0 to 2 percent slopes, occasionally flooded	90.35	8.1%		IIIw					56	54	43	55
13516	Gilliam silt loam, 0 to 2 percent slopes, occasionally flooded	61.85	5.5%		IIw	4	4		1	78	69	23	77
13527	Haynie very fine sandy loam, 0 to 2 percent slopes, occasionally flooded	20.87	1.9%		IIw	4	4		2	66	62	46	65
13565	Norborne loam, 0 to 2 percent slopes, occasionally flooded	17.39	1.6%		IIw					89	89	74	77

13512	Cotter silt loam, 0 to 2 percent slopes, rarely flooded	15.19	1.4%		lw	10	10	4	85	85	73	84	8
66009	Haynie silt loam, 0 to 2 percent slopes, occasionally flooded	3.96	0.4%		llw				60	60	40	54	
36023	Landes fine sandy loam, 0 to 2 percent slopes, occasionally flooded	2.92	0.3%		llw				58	58	43	58	
13595	Waubonsie fine sandy loam, loamy substratum, 0 to 2 percent slopes, occasionally flooded	2.64	0.2%		llw				61	60	42	61	
13598	Booker silty clay, frequently ponded, 0 to 2 percent slopes, occasionally flooded	1.33	0.1%		Vw				23	23	22	15	
99001	Water	0.21	0.0%										
Weighted Average					*-	1.3	1.3	0.6	*n 64.4	*n 61.8	*n 46.8	*n 61	*n 0.2

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Soils data provided by USDA and NRCS.

6 Tracts Topography Hillshade



Source: USGS 10 meter dem
Interval(ft): 0
Min: 664.8
Max: 686.2
Range: 21.4
Average: 674.3
Standard Deviation: 4.56 ft




1-51N-25W
Carroll County
Missouri

map center: 39.250016, -93.646268

YOUR AD HERE

space - other locations and counties also available

great visibility
life



mappingsolutions

Backed by experience, driven by technology.



act Mapping Solutions at: 816-903-3500




Sugartree (W)


Township 51N - Range 25W

Copyright © 2018 Carroll County


SEE PAGE 45

SEE PA





Overview Map




map center: 39.272027, -93.652151

0ft 5240ft 10479ft



10/17/2022

Topography Map




map center: 39.250016, -93.646268

0ft 2426ft 4852ft

1-51N-25W
Carroll County
Missouri

Maps Provided By:
surety
CUSTOMIZED ONLINE MAPPING
© AgriData, Inc. 2021 www.AgriDataInc.com



10/5/2022