Big Tex partners Texas, AC +/-



D Boundary





om sources

Memorination contained neterin was obtained non sources deemed to be reliable. MapRight Services makes no warranties or guarantees as to the completeness or accuracy thereof. 844.932.6277 - mapright.com







erein was obtained from sources

Memorination contained neterin was obtained non sources deemed to be reliable. MapRight Services makes no warranties or guarantees as to the completeness or accuracy thereof. 844.932.6277 - mapright.com

Big Tex partners Texas, AC +/-



D Boundary





ned from sources

Memorination contained neterin was obtained non sources deemed to be reliable. MapRight Services makes no warranties or guarantees as to the completeness or accuracy thereof. 844.932.6277 - mapright.com

|D Boundary 273.98 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|---------------|-------|-----|-------|------|
| As | Altus fine sandy loam, dry, 0 to 1 percent slopes | 140.8 7 | 51.41 | 0 | 52 | 2e |
| CmB | Miles fine sandy loam, 1 to 3 percent slopes | 68.03 | 24.83 | 0 | 48 | 3e |
| CmC | Miles fine sandy loam, 3 to 5 percent slopes | 34.19 | 12.48 | 0 | 48 | 3e |
| OcA | Sagerton clay loam, 0 to 1 percent slopes | 13.18 | 4.81 | 0 | 45 | 2c |
| MnA | Miles fine sandy loam, 0 to 1 percent slopes | 8.62 | 3.15 | 0 | 49 | 2e |
| SaB | Spade fine sandy loam, 1 to 3 percent slopes | 8.02 | 2.93 | 0 | 19 | 3e |
| SaC | Spade fine sandy loam, 3 to 5 percent slopes | 1.07 | 0.39 | 0 | 18 | 4e |
| TOTALS | | 273.9 8(*) | 100% | - | 48.97 | 2.41 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | ٠ | ٠ | ٠ | • | • | ٠ | ٠ | • |
| Forestry | ٠ | ٠ | ٠ | • | ٠ | ٠ | ٠ | |
| Limited | ٠ | ٠ | ٠ | • | • | ٠ | ٠ | |
| Moderate | ٠ | ٠ | ٠ | • | • | ٠ | | |
| Intense | • | • | ٠ | • | • | | | |
| Limited | ٠ | • | ٠ | • | | | | |
| Moderate | ٠ | • | ٠ | | | | | |
| Intense | ٠ | ٠ | | | | | | |
| Very Intense | ٠ | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

Big Tex partners Texas, AC +/-



D Boundary



Mapping and the second second