

## Soils Map





State: Iowa County: Lucas

Location: 2-72N-20W

Township: Cedar Acres: 297

Date: 4/10/2023

## **♯ Hawkeye Farm Mgmt & Real Estate**







Soils data provided by USDA and NRCS.

| Solls da | ita provided by USDA and NRCS.  |       |                  |               |                     |        |     | 3                 |
|----------|---|-------|------------------|---------------|---------------------|--------|-----|-------------------|
| Area Sy  | mbol: IA117, Soil Area Version: 31  |       |                  |               |                     |        |     |                   |
| Code     | Soil Description  | Acres | Percent of field | CSR2 Legend   | Non-Irr Class<br>*c | CSR2** | CSR | *n NCCPI Soybeans |
| 65F2     | Lindley loam, 18 to 25 percent slopes, moderately eroded                      | 48.72 | 16.4%            |               | VIIe                | 10     | 8   | 3                 |
| 131C2    | Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded            | 46.69 | 15.7%            |               | IIIe                | 62     | 45  | 5                 |
| 13B      | Zook-Olmitz-Vesser complex, 0 to 5 percent slopes                             | 38.86 | 13.1%            |               | llw                 | 68     | 53  | 74                |
| 65G2     | Lindley loam, 25 to 40 percent slopes, moderately eroded                      | 29.09 | 9.8%             |               | VIIe                | 5      | 5   | 8                 |
| 131B     | Pershing silt loam, 2 to 5 percent slopes                                     | 28.39 | 9.6%             |               | IIIe                | 70     | 67  | 59                |
| 425D2    | Keswick clay loam, 9 to 14 percent slopes, moderately eroded                  | 26.50 | 8.9%             |               | IVe                 | 8      | 12  | 38                |
| 179F2    | Gara clay loam, 18 to 25 percent slopes, moderately eroded                    | 25.04 | 8.4%             |               | IVe                 | 11     | 13  | 34                |
| 423D2    | Bucknell silty clay loam, 9 to 14 percent slopes, moderately eroded           | 20.49 | 6.9%             |               | IVe                 | 6      | 13  | 42                |
| 792D2    | Armstrong clay loam, 9 to 14 percent slopes, moderately eroded                | 11.78 | 4.0%             |               | IVe                 | 5      | 13  | 40                |
| 132C2    | Weller silty clay loam, 5 to 9 percent slopes, moderately eroded              | 11.10 | 3.7%             |               | IIIe                | 59     | 40  | 67                |
| 54       | Zook silty clay loam, heavy till, 0 to 2 percent slopes, occasionally flooded | 4.38  | 1.5%             |               | llw                 | 68     | 75  | 68                |
| 179G2    | Gara clay loam, 25 to 40 percent slopes, moderately eroded                    | 1.48  | 0.5%             |               | VIIe                | 5      | 5   | 7                 |
| 132D2    | Weller silty clay loam, 9 to 14 percent slopes, moderately eroded             | 1.43  | 0.5%             |               | IVe                 | 34     | 28  | 63                |
| 993D2    | Gara-Armstrong complex, 9 to 14 percent slopes, moderately eroded             | 1.07  | 0.4%             |               | IVe                 | 32     | 31  | 45                |
| 23C2     | Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded              | 0.69  | 0.2%             |               | IIIe                | 62     | 50  | 67                |
| 822D2    | Lamoni silty clay loam, 9 to 14 percent slopes, moderately eroded             | 0.55  | 0.2%             |               | IVe                 | 10     | 15  | 49                |
| 716      | Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, occasionally flooded    | 0.40  | 0.1%             |               | llw                 | 78     |     | 86                |
| W        | Water   | 0.26  | 0.1%             |               |                     | 0      | 0   |                   |
| 222C2    | Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded            | 0.08  | 0.0%             |               | IVw                 | 28     | 25  | 42                |
|          |   |       | Wei              | ghted Average | *-                  | 33.5   | *-  | *n 46.3           |

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.

<sup>\*-</sup> CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

<sup>\*</sup>n: The aggregation method is "Weighted Average using all components"

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method

<sup>\*-</sup> Non Irr Class weighted average cannot be calculated on the current soils data due to missing data. Soils data provided by USDA and NRCS.