## **Regional Sales Map**

Iowa, AC +/-











## | 56.57 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	СРІ	NCCPI	CAP
132C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	17.51	30.95	59.0	0	87	3e
65E2	Lindley loam, 14 to 18 percent slopes, moderately eroded	13.72	24.25	29.0	0	68	6e
795D2	Ashgrove silty clay loam, 9 to 14 percent slopes, moderately eroded	12.81	22.64	7.0	0	51	4e
132B	Weller silt loam, 2 to 5 percent slopes	4.72	8.34	67.0	0	92	3e
432D2	Gorin silty clay loam, 9 to 14 percent slopes, moderately eroded	3.39	5.99	40.0	0	69	4e
65F2	Lindley loam, 18 to 25 percent slopes, moderately eroded	1.56	2.76	10.0	0	54	7e
65G	Lindley loam, 25 to 40 percent slopes	1.42	2.51	7.0	0	17	7e
130	Belinda silt loam, 0 to 2 percent slopes	1.41	2.49	47.0	0	73	3w
W	Water	0.03	0.05	-	0	-	-
TOTALS		56.57( *)	100%	36.49	-	70.52	4.23

<sup>(\*)</sup> Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water