

Proposal - Detailed

Pella Window and Door Showroom of Gilbert 190 S McQueen Rd Suite 101 Gilbert, AZ 85233 Phone: (480) 355-3800 Fax: (480) 355-3806 Sales Rep Name:Allen, GregSales Rep Phone:480-653-3846Sales Rep E-Mail:alleng@pellamw.comSales Rep Fax:

Customer Information	Project/Delivery Address	Order Information								
Funk Family Enterprises LLC. DBA Bellago Homes	Rebecca Hidalgo	Quote Name: Rebecca Hidalgo								
1806 N Lindsay Rd	Rebecca Hildago									
suite 102	6620 E Flat Iron Loop	Order Number: 011								
MESA, AZ 85213-3010	Lot #	Quote Number: 14482024								
Primary Phone: (602) 481-0535	GOLD CANYON, AZ 85118	Order Type: Non-Installed Sales								
Mobile Phone:	County: PINAL	Wall Depth:								
Fax Number:	Owner Name:	Payment Terms: Net 30 Days								
E-Mail: westin@bellagohomes.com		Tax Code: GOLPINA2								
Contact Name:	Owner Phone:	Cust Delivery Date: None								
		Quoted Date: 8/19/2021								
Great Plains #: 1002242730		Contracted Date:								
Customer Number: 1006805856		Booked Date:								
Customer Account: 1002242730		Customer PO #:								
Accessories Managed / Delivery Date										
Window Screens 1/31/2022 Hinge & Sl	ding Door Screens 1/31/2022 Window Hardware	1/31/2022 Door Handles 1/31/2022								

Line #	Location:	Attributes			
10	Front Entry	Pella® Reserve, Contemporary, Inswing Door, Contemporary,, Right, 48 X 119.5, Black	Item Price	Qty	Ext'd Price
Viewed	d From Exterior ening: 48 - 3/4"	1: Contemporary, Non-Standard SizeNon-Standard Size Right Inswing Door PK # 2094 Exterior Color / Finish: Painted, Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Sash / Panel: Square, Square, Standard Glass: Insulated Dual Tempered Low-E	\$3,461.53	1 alculated F	\$3,461.53 Positive DP

Customer Notes: This is a HINGED door. Custom Request for Pivot door pricing will be submitted to Pella Corporation

Line #	Location:		Attributes			
15	Master Suite		Impervia, Double Sliding Door, Fixed / Vent Left, 71.25 X 95.5, Black	Item Price	Qty	Ext'd Price
	71.25 ed From Exterior pening: 72" X 96	PK # 2094 "	1: 7296 Fixed / Vent Left Double Sliding Door Frame Size: 71 1/4 X 95 1/2 General Information: Impervia Sliding Door (New), Factory Assembled, Standard, Duracast®, Block, No Foam I Sill Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Keylock Included, Standard, Handle Included, Handle Included, Matte Black, Black, Random Screen: Sliding Screen, Black, InView™ Unit Accessories: No Accessory Option Performance Information: U-Factor 0.30, SHGC 0.21, VLT 0.42, CPD PEL-N-279-00016-00001, Performance Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perim Overall Rough Opening Dimensions: 71 3/4 X 95 3/4	n, Matte Black, 42" Class LC, PG 35, Y		

Line #	Location:	Attributes			
20	Mechanical Closet	Pella Entry Doors, Double Entry Door, Outswing, 66 X 96.875, Black, 4 9/16"	Item Price	Qty	Ext'd Price
1			\$2,628.09	1	\$2,628.09
View	PK # 2094 	1: 6696.875 Double Entry Door Frame Size: 66 X 96 7/8 Unit Type: Inactive/Active Outswing, Standard Sill, No Fire Rating, No Fire Rating Dimensions: 64, 96 Dimension Options: No Cut Down General Information: Standard, 4 9/16", 4 9/16" Panel Style: 2 Panel Square Panel Selection: Smooth, Painted, Black, Painted, Black Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Painted, Black, Composite, Si Hardware Options: Latch Bore with Deadbolt, Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, Lo Match to Active Panel Handle Set, No Deadbolt, Distressed Nickel, Flush Bolts, Satin Nickel, Standard Steel Ball B Performance Information: U-Factor 0.15, SHGC 0.01, CPD PEL-M-258-39344-00001	ongview Lever, Long	gview Leve	,

Wrapping Information: 2" Brickmould, Factory Applied, 4 9/16", Pella Recommended Clearance, Perimeter Length = 326".

ne # Location:	Attributes			
25 Master Bathroom	Impervia, Casement Left, 35.5 X 35.5, Black	Item Price	Qty	Ext'd Price
PK # 2094 Viewed From Exterior Ugh Opening: 36" X 36"	1: 3636 Left Casement Frame Size: 35 1/2 X 35 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4' Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Obscure Low-E Obscure SunDefense™ Low-E Insulating Glass Argon Hardware Options: Standard, Side Pivot Hardware, Easy-Slide Operator, Matte Black, No Window Open Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-277-00243-00001, Perform Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Clear Opening Width 30, Clear Opening Hei Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance	Non High Altitude ing Control Device, No Lin mance Class LC, PG 50, C ight 30.75, Clear Opening /	alculated F	Positive DP
	Obscure Glass Style: Pattern62(Standard)			

Line #	Location:	Attributes			
30	Master Bathroom	Impervia, Casement Right, 35.5 X 35.5, Black	Item Price	Qty	Ext'd Price
J Viewe	PK# 2094 as 5.5 ed From Exterior beening: 36" X 36"	Impervia, Casement Right, 35.5 X 35.5, Black 1: 3636 Right Casement Frame Size: 35 1/2 X 35 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Obscure Low-E Obscure SunDefense™ Low-E Insulating Glass Argon Non Hig Hardware Options: Standard, Side Pivot Hardware, Easy-Slide Operator, Matte Black, No Window Opening Cont Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-277-00243-00001, Performance C Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Clear Opening Width 30, Clear Opening Height 30.75 Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimeted	\$805.98 , 1 15/16" h Altitude rol Device, No Lim lass LC, PG 50, C 5, Clear Opening A	1 ited Openi alculated F	\$805.98

Obscure Glass Style: Pattern62(Standard)

Customer Notes: Obscure Glass Included

Line #	Location:	Attributes			
35	Master Bathroom	Pella® Reserve, Contemporary, Quad Sliding Door, Contemporary,, Fixed / Vent Left /	Item Price	Qty	Ext'd Price
		Vent Right / Fixed, 140.125 X 107.5, Black	\$12,899.00	1	\$12,899.00
	PK # 2094 ed From Exterior pening: 141 - 1/8" X 108"	1: Contemporary, 141108 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door Frame Size: 140 1/8 X 107 1/2 General Information: Knock Down, Standard, Clad, Pine, 5 7/8", 4 9/16", Black Composite Threshold Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Sash / Panel: Square, Square, Standard Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Black, Standard, Handle Included, Handle Included, Matte Black, Black, No Key (Dummy Key Screen: Sliding Screen, Wood Interior Black Exterior, Matte Black, InView™ Performance Information: U-Factor 0.28, SHGC 0.21, VLT 0.47, CPD PEL-N-238-00012-00001, Performance C Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Rec 496".	lass LC, PG 25, Y	ear Rated	11

Customer Notes: ADD \$4,200.00 plus sales tax to substitute 4-panel, stacking, multi-slide door (all panels stacking to one side)

Line #	Location:		Attributes			
40	Master Closet		Impervia, Casement Fixed, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
Č.	C.00			\$316.91	3	\$950.73
ī,			1: 17.535.5 Fixed Casement			
4	g	PK #	Frame Size: 17 1/2 X 35 1/2			
		2094 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16				
1		200.	Exterior Color / Finish: Black			
2	17.5		Interior Color / Finish: Black			
			Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude			
	ed From Exterior		Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance C	lass LC, PG 50, C	alculated F	Positive DP
Rough O	Rough Opening: 18" X 36		Rating 50, Calculated Negative DP Rating 60, Year Rated 11			
			Grille: No Grille, Wranning Information: Standard Fin, Fastery Applied, No Exterior Trim, Balla Basemmanded Classence, Derimet	or Longth - 106"		
			Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimet	er Lengun = 106 .		

Line #	Location:		Attributes			
45	Master Bathroo	omWC	Impervia, Casement Left, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
View	red From Exterior pening: 18" X 36		1: 1836 Left Casement Frame Size: 17 1/2 X 35 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16" Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Side Pivot Hardware, Easy-Slide Operator, White, No Window Opening Control De Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-277-00243-00001, Performance C Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Clear Opening Height 30.75, Egress Does not meet comply with local code requirements Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perime	evice, No Limited O Class LC, PG 50, C typical United State	alculated F	ositive DP

Line #	Location:		Attributes			
50	Master Suite		Impervia, Casement Fixed, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
I			······································	\$316.91	2	\$633.82
35.5"		PK #	1: 17.535.5 Fixed Casement Frame Size: 17 1/2 X 35 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16"	' 1 15/16"		
1	17.5	2094	Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude	,		
	Viewed From Exterior Rough Opening: 18" X 36"		Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance C Rating 50, Calculated Negative DP Rating 60, Year Rated 11 Grille: No Grille,	, ,	alculated F	Positive DP
			Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimet	ter Length = 106".		

Line #	Location:	Attributes			
55	Master Suite	Impervia, Casement Left, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
View	ed From Exterior pening: 18" X 36"	1: 1836 Left Casement PK # Frame Size: 17 1/2 X 35 1/2 2094 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4 Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Side Pivot Hardware, Easy-Slide Operator, White, No Window Opening C	ontrol Device, No Limited (mance Class LC, PG 50, (lot meet typical United Sta	1 Dpening Ha Calculated I tes egress,	Positive DP

Line #	Location:		Attributes			
60	60 Foyer-Right Elev		Pella Entry Doors, Entry Door, Inswing, 37.5 X 95.375, Black, 4 9/16"	Item Price	Qty	Ext'd Price
1				\$2,260.67	1	\$2,260.67
95.376"	18	1: 37.595.375 Entry Door				
5	41-	PK #	Frame Size: 37 1/2 X 95 3/8			
0		2094	Unit Type: Right Inswing, Standard Sill, No Fire Rating, No Fire Rating Dimensions: 36, 96			
1			Dimension Options: Cut Down, 2 1/4"			
	37.5"		General Information: Standard, 4 9/16", 4 9/16"			
	ed From Exterior		Panel Style: Flush Glazed Full Light			
Rough Op	pening: 38 - 1/4"	X 95 - 7/8"	Glass: Tempered Low-E Argon			
			Grilles: No Grille Panel Selection: Smooth, Painted, Black, Painted, Black			
			Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Painted, Black, Composite, S	mooth Painted Bla	ck	
			Hardware Options: Multi Point Bore (includes mechanism), 2 3/8", 2 1/8", No Integrated Sensor, Longview, Long			dard Steel Ball
			Bearing, Satin Nickel, Black Finish Sill			
			Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, CPD PEL-M-258-47984-00001, Calculated Performance Information: U-Factor 0.25, SHGC 0.16, VLT 0.28, VLT	ositive DP Rating 35	, Calculate	ed Negative DP
			Rating 40 Wrapping Information: 4 9/16", Pella Recommended Clearance, Perimeter Length = 266".			
			wrapping mornation. 4 5/10, relia recommended Clearance, remineter Length - 200.			

Line #	Location:	Attributes			
65	Bathroom-WC	Impervia, Awning, Vent, 35.5 X 23.5, Black	Item Price	Qty	Ext'd Price
* (7=			\$551.37	1	\$551.37
		1: 3624 Vent Awning PK # Frame Size: 35 1/2 X 23 1/2 2094 General Information: Impervia Awning (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16 2094 Exterior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Wash Hinge Hardware, Easy-Slide Operator, Matte Black, No Limited Opening Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-278-00243-00001, Performance Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Egress Not Applicable Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Per	Hardware, Sill e Class LC, PG 50, C	alculated F	Positive DP

Line #	Location:	Attributes		
70	Hallway	Impervia, Awning, Fixed, 35.5 X 23.5, Black	Qty	Ext'd Price
		\$359.34	1	\$359.34
- 23.5"	35.5"	1: 3624 Fixed Awning PK # Frame Size: 35 1/2 X 23 1/2 2094 General Information: Impervia Awning (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16", 1 15/16" 2094 Interior Color / Finish: Black Interior Color / Finish: Black		
	ed From Exterior pening: 36" X 24'	Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance Class LC, PG 50, Calor Rating 50, Calculated Negative DP Rating 60, Year Rated 11 Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 118".	culated F	Positive DP

Line #	Location:		Attributes			
75	Garage		Impervia, Casement Fixed, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
1			······································	\$316.91	3	\$950.73
Viewe	ed From Exterior bening: 18" X 36	PK # 2094	1: 17.535.5 Fixed Casement Frame Size: 17 1/2 X 35 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16 Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance 0 Rating 50, Calculated Negative DP Rating 60, Year Rated 11		alculated F	Positive DP
			Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perime	eter Length = 106".		

Line #	Location:		Attributes			
80	Garage		Impervia, Casement Fixed, 17.5 X 35.5, Black	Item Price	Qty	Ext'd Price
1			···· ·································	\$395.71	2	\$791.42
Į.			1: 17.535.5 Fixed Casement			
4	35.5	PK #	Frame Size: 17 1/2 X 35 1/2			
		2094	General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16"	, 1 15/16"		
		2034	Exterior Color / Finish: Black			
	17.5		Interior Color / Finish: Black			
	17.5"		Glass: Insulated Dual Tempered Low-E_SunDefense™_Low-E Insulating Glass Argon Non High Altitude			
Viewe	ed From Exterior		Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance C	lass LC, PG 50, C	alculated F	Positive DP
Rough Or	pening: 18" X 36	"	Rating 50, Calculated Negative DP Rating 60, Year Rated 11	, ,		
iteugii er			Grille: No Grille,			
			Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perimet	er Length = 106".		

Customer Notes: TEMPERED GLASS next to Exterior Door location

Line #	Location:	Attributes			
85	Garage-to-Outside	Pella Entry Doors, Entry Door, Inswing, 37.5 X 97.625, Black, 4 9/16"	Item Price	Qty	Ext'd Price
Viewe	PK # 2094 ed From Exterior bening: 38 - 1/4" X 98 - 1/8"	 Pella Entry Doors, Entry Door, Inswing, 37.3 × 97.023, Black, 4 9/10 1: 37.597.625 Entry Door Frame Size: 37 1/2 × 97 5/8 Unit Type: Left Inswing, Standard Sill, No Fire Rating, No Fire Rating Dimensions: 36, 96 Dimension Options: No Cut Down General Information: Standard, 4 9/16", 4 9/16" Panel Style: 1/2 Light 1 Panel Glass: Tempered Low-E Air Filled Grilles: No Grille Panel Selection: Smooth, Painted, Black, Painted, Black Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Painted, Black, Composite, Hardware Options: Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, Longview Lever, Longview Bearing, Satin Nickel, Black Finish Sill Performance Information: U-Factor 0.25, SHGC 0.21, VLT 0.24, CPD PEL-M-258-47931-00001 Wrapping Information: 2" Brickmould, Factory Applied, 4 9/16", Pella Recommended Clearance, Perimeter Letter Sensor, Sensor, Perimeter Letter Sensor, Pella Recommended Clearance, Pella Re	\$1,494.73 Smooth, Painted, Bla	1	\$1,494.73

Line #	Location:	Attributes			
90	Garage-to-House	Fire Rated Door from Garage-to-House BY OTHERS	Item Price	Qty	Ext'd Price
			\$0.00	1	\$0.00

Customer Notes: Pella Entry Door products do not offer a fire rating for 8'0" door heights

Line #	Location:		Attributes			
95	Guest Room		Impervia, Casement Fixed, 35.5 X 59.5, Black	Item Price	Qty	Ext'd Price
I			p ,,,,,,,,	\$613.92	2	\$1,227.84
	35.5 ed From Exterior bening: 36" X 60	PK # 2094	1: 3660 Fixed Casement Frame Size: 35 1/2 X 59 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16 Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance C Rating 50, Calculated Negative DP Rating 60, Year Rated 11 Grille: No Grille, Wrapping Information: Standard Fin, Factory Applied, No Exterior Trim, Pella Recommended Clearance, Perime	Class LC, PG 50, C	alculated F	Positive DP

	Line #	Location:	Attributes			
\$4,422.91 1 \$4,42	100	Guest Room	Impervia, Triple Sliding Door Fixed / Vent Right / Fixed, 109.875 X 95.5, Black	Item Price	Qty	Ext'd Price
				\$4,422.91	1	\$4,422.91
Image: Strate Strate PK # Image: Strate Strate Strate PK # Image: Strate Strate Strate Strate Strate S	38.6 View	ed From Exterior	 PK# Frame Size: 38 5/8 X 95 1/2 2094 General Information: Impervia Sliding Door (New), Factory Assembled, Standard, Duracast®, Block, No I Sill Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Unit Accessories: No Accessory Option Performance Information: U-Factor 0.30, SHGC 0.21, VLT 0.42, CPD PEL-N-279-00016-00001, Perform Grille: No Grille, Vertical Mull 1: FactoryMull, Standard Joining Mullion 2: 71.2595.5 Fixed / Vent Right / Fixed Double Sliding Door Frame Size: 71 1/4 X 95 1/2 General Information: Impervia Sliding Door (New), Factory Assembled, Standard, Duracast®, Block, No I Sill Exterior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Keylock Included, Standard, Handle Included, Matte Black, Black, R Screen: Sliding Screen, Black, InView™ Unit Accessories: No Accessory Option Performance Information: U-Factor 0.30, SHGC 0.21, VLT 0.42, CPD PEL-N-279-00016-00001, Perform Grille: No Grille, 	ance Class CW, PG 50, Foam Insulated, 5", 1 5/16 andom, Matte Black, 42" nance Class LC, PG 35, Y	Year Rated ", 3 11/16" ′ear Rated	d 11 , Black Finish 11

Line #	Location:	Attributes			
105	Guest Bathroom	Impervia, 2-Wide Awning, 71 X 23.5, Black	Item Price	Qty	Ext'd Price
		F C C C C C C C C C C	\$1,325.33	1	\$1,325.33
	PK # 2094 ved From Exterior Opening: 71 - 1/2" X 24"	 1: 3624 Vent Awning Frame Size: 35 1/2 X 23 1/2 General Information: Impervia Awning (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16", 1 Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Wash Hinge Hardware, Easy-Slide Operator, White, No Limited Opening Hardware Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-278-00243-00001, Performance C Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Egress Not Applicable Grille: No Grille, Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20 2: 3624 Vent Awning Frame Size: 35 1/2 X 23 1/2 General Information: Impervia Awning (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5/16", 1 Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Wash Hinge Hardware, Easy-Slide Operator, White, No Limited Opening Hardware Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-278-00243-00001, Performance 10	e, Sill lass LC, PG 50, C 15/16" e, Sill lass LC, PG 50, C	alculated F	Positive DP

Customer Notes: Widest single vent awning available is 59.5" wide; substituted 2-wide awning in order to reach 71" overall frame width

Line #	Location:	Attributes			
110	Den	Impervia, Direct Set, Impervia, Direct Set, Impervia, Direct Set, 253 X 83.5, Black	Item Price	Qty	Ext'd Price
			\$5,080.64	1	\$5,080.64
	РК # 2094 ed From Exterior pening: 254" X 84"	1: 8483.5 Fixed Frame Direct Set Frame Size: 84 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior Ac Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.55, CPD PEL-N-257-00050-00001, Performance C Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Vertical Mull 1: FieldMull, 1/2" Structural Mullion w/ 1 Reinforcement, Mull Design Pressure- 20 2: 8483.5 Fixed Frame Direct Set Frame Size: 84 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior Ac Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.55, CPD PEL-N-257-00050-00001, Performance C Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Vertical Mull 2: FieldMull, 1/2" Structural Mullion w/ 1 Reinforcement, Mull Design Pressure- 20 3: 8483.5 Fixed Frame Direct Set Frame Size: 84 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior Ac Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.55, CPD PEL-N-257-00050-00001, Performance C Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Wrapping Information: U-Factor 0.26, SHGC 0.24, VLT 0.55, CPD PEL-N-257-00050-00001, Performance C Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Wrapping Information: Prep for Screw Through Frame With Standard Fin, Factory Applied, No Exterior Trim, P	Class CW, PG 50, 0 ccess Only Require Class CW, PG 50, 0 ccess Only Require	Calculated d Calculated d Calculated	Positive DP Positive DP

Customer Notes: Shipped in three (3) pieces; split vertically for field assembly with 1/2" reinforced structural mullions.

Line #	Location:		Attributes			
115	Den		1/2" Structural With 1 Reinforcement Mullion Kit, Length: 83.5, Black	Item Price	Qty	Ext'd Price
				\$284.41	1	\$284.41
Viewe Rough Op	d From Exterior ening :	PK # 2094	1: -1-1 Accessory Frame Size: -1 X -1 General Information: Block, Standard Fin, Vertical, 1/2" Structural Mullion w/ 1 Reinforcement, 1/2" Structural Window, 3.25" Frame to 3.25" Frame Exterior Color / Finish: Black Interior Color / Finish: Black Wrapping Information: Perimeter Length = 0".	With 1 Reinforcemen	t Mullion K	it, Window to

Line #	Location:	Attributes	
120	Den	Pella® Reserve, Contemporary, Quad Sliding Door, Contemporary,, Fixed / Vent Left / <u>Item Price</u> <u>Qty</u> <u>Ext'd Price</u>	;e
1		Vent Right / Fixed, 140.125 X 119.5, Black \$13,233.90 1 \$13,233.90	90
	PK # 2094 wed From Exterior Dpening: 141 - 1/8" X 120"	1: Contemporary, 141120 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door Frame Size: 140 1/8 X 119 1/2 General Information: Knock Down, Standard, Clad, Pine, 5 7/8", 4 9/16", Black Composite Threshold Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Sash / Panel: Square, Square, Standard Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude	=

Customer Notes: ADD \$4,100.00 plus sales tax to substitute 4-panel, stacking, multi-slide door (all panels stack to one side)

Line #	Location:	Attributes	Attributes					
125	Hallway	Impervia, 3-Wide Casement, 106.5 X 59.5, Black	Item Price	Qty	Ext'd Price			
			\$2,149.42	1	\$2,149.42			
View	ed From Exterior pening: 107" X 60	 1: 3660 Fixed Casement PK # Frame Size: 35 1/2 X 59 1/2 2094 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5. Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.22, VLT 0.52, CPD PEL-N-276-00243-00001, Performance or Rating 50, Calculated Negative DP Rating 60, Year Rated 11 Grille: No Grille, Vertical Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20 2: 3660 Left Casement Frame Size: 35 1/2 X 59 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5. Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Hardware Options: Standard, Side Pivot Hardware, Easy-Slide Operator, White, No Window Opening Control Screen: Full Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.20, VLT 0.45, CPD PEL-N-277-00243-00001, Performanc Rating 50, Calculated Negative DP Rating 60, Year Rated 11, Egress Meets Typical 5.7 sqft (E) (United States Grille: No Grille, Vertical Mull 2: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20 3: 3660 Fixed Casement Frame Size: 35 1/2 X 59 1/2 General Information: Impervia Casement (New), Standard, Duracast®, Block, No Foam Insulated, 3 1/4", 1 5. Exterior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Gase: Insulated Dual Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: Impervia Casement (New), Standard, Duracast®, Block,	e Class LC, PG 50, C 16", 1 15/16" Device, No Limited C e Class LC, PG 50, C Only) 16", 1 15/16" e Class LC, PG 50, C	Dpening Ha Calculated F Calculated F	ordware Positive DP Positive DP			

Line #	Location:	Attributes				
130	Den	Impervia, Direct Set, Impervia, Direct Set, Impervia, Direct Set, 145 X 83.5, Black	Item Price	Qty	Ext'd Price	
			\$3,382.08	1	\$3,382.08	
Viewe	ed From Exterior bening: 146" X 84	 1: 4883.5 Fixed Frame Direct Set PK# Frame Size: 48 X 83 1/2 2094 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior / Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.56, CPD PEL-N-257-00046-00001, Performance Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Vertical Mull 1: FactoryMull, 1/2" Structural Mullion, Mull Design Pressure- 20 2: 4883.5 Fixed Frame Direct Set Frame Size: 48 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior / Exterior Color / Finish: Black Interior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.56, CPD PEL-N-257-00046-00001, Performance Rating 50, Calculated Negative DP Rating 55, Year Rated 08 11 Grille: No Grille, Vertical Mull 2: FieldMull, 1/2" Structural Mullion, Mull Design Pressure- 20 3: 4883.5 Fixed Frame Direct Set Frame Size: 48 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior / Exterior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.56, CPD PEL-N-257-00046-00001, Performance / Exterior Color / Finish: Black Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.26, SHGC 0.24, VLT 0.56, CPD PEL-N-257-00046-00001, Performance Rat	Class CW, PG 50, Access Only Require Class CW, PG 50, Access Only Require Class CW, PG 50, A	Calculated d Calculated d Calculated	Positive DP	

Customer Notes: Largest venting casement available in the Impervia fiberglass brand is 37.5" x 79.5"

Shipped in two (2) pieces; split vertically for field assembly with 1/2" structural mullions.

Line # Location: Attributes					
135	Den	Impervia, Direct Set, Impervia, Direct Set, Impervia, Direct Set, 145 X 83.5, Black	Item Price	Qty	Ext'd Price
			\$3,382.08	1	\$3,382.08
Viewe	ed From Exterior bening: 146" X 8-	PK# Frame Size: 48 X 83 1/2 2094 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior 2094 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior 2094 General Information: Unpervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior 2094 General Information: Unpervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior 2094 Performance Information: Unpervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior 2094 Vertical Mull 1: FactoryMull, 1/2" Structural Mullion, Mull Design Pressure- 20 2: 4883.5 Fixed Frame Direct Set Frame Size: 48 X 83 1/2 General Information: Impervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior Exterior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Interior Color / Finish: Black Grille: No Grille, Vertical Mull 1: FeidMull, 1/2" Structural Mullion, Mull Design Pressure- 20 3: 4883.5 Fixed Frame Direct Set Frame Size: 48 X 83 1/2 General Information: Unpervia Direct Set (New), Duracast®, Block, No Foam Insulated, 3 1/4", 3 1/4", Interior E	e Class CW, PG 50, o Access Only Require e Class CW, PG 50, o Access Only Require e Class CW, PG 50, o	Calculated d Calculated d Calculated	Positive DP Positive DP

Customer Notes: Largest venting casement available in the Impervia fiberglass brand is 37.5" x 79.5"

Shipped in two (2) pieces; split vertically for field assembly with 1/2" structural mullions.

Line #	Location:	Attributes
140	Great Room	Pella® Reserve, Contemporary, Quad Sliding Door, Contemporary,, Fixed / Vent Left / <u>Item Price</u> Qty Ext'd Price
		Vent Right / Fixed, 188.125 X 119.5, Black \$14,249.30 1 \$14,249.30
	ed From Exterior pening: 189 - 1/8	PK # 1: Contemporary, 189120 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door PK # Frame Size: 188 1/8 X 119 1/2 2094 General Information: Knock Down, Standard, Clad, Pine, 5 7/8", 4 9/16", Black Composite Threshold Exterior Color / Finish: Standard Enduraclad, Black Interior Color / Finish: Black Stain Interior Sash / Panel: Square, Square, Standard Glass: Insulated Dual Tempered Low-E SunDefense™ Low-E Insulating Glass Argon Non High Altitude 8" X 120" Hardware Options: Black, Plazo, Handle Included, Handle Included, Satin Nickel, Satin Nickel, No Integrated Sensor Screen: Sliding Screen, Wood Interior Black Exterior, Satin Nickel, InView™ Performance Information: U-Factor 0.28, SHGC 0.21, VLT 0.47, CPD PEL-N-238-00012-00001, Performance Class LC, PG 25, Year Rated 11 Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 4 9/16", 5 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 616".

Customer Notes:	ADD \$3,725.00 plus sales tax to substitute 4-panel pocketing, multi-slide (pockets on one side)
-----------------	--

Line #	Location:	Attributes			
145	VIP Service	SERVICMTWM010004 - V.I.P. Service.	Item Price	Qty	Ext'd Price
			\$850.00	1	\$850.00

\$75.00

1

\$75.00

25

Line #	Location:	Attributes			
150	Jobsite Delivery	ADDPRTMTWM010028 - Trade/Comm Delivery Service(Product Over \$20,000)	Item Price	Qty	Ext'd Price
		······································	\$300.00	1	\$300.00
ne #	Location:	Attributes			
55	Accessory Mgmt		Itom Drico	011/	Extid Drie
		ADDPRTMTWM010029 - Accessory Management Additional Delivery(Per Trip)	Item Price	Qty	Ext'd Price

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANCAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com Printed on 8/24/2021 **Detailed Proposal** Page

Customer: Funk Family Enterprises LLC. DBA Bellago Homes

25

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

BRANCH WARRANTY:

Non-Pella product is not covered by the Pella 20/10 limited warranty.

Pella provides no warranties and expressly disclaims all warranties to any purchasers and/or users of any Doors In Motion / Compass Door systems utilizing any of Pella's door panels or otherwise, whether express and/or implied in fact or by operation of law, including, but not limited to, the implied warranty of merchantability and the implied warranty of fitness for a particular purpose. Under no circumstance shall Pella be held liable to Doors in Motion / Compass Door, or to any person or entity for any direct, incidental, consequential, compensatory, special, exemplary, punitive and/or monetary damages of any kind regardless of whether Pella had been advised of the possibility of such damages.

TERMS & CONDITIONS: TERMS AND CONDITIONS OF SALE

This sales agreement consists of and is subject to the Terms and Conditions set forth on subsequent pages of this document and referred to collectively as the "Contract". Please read the entire Contract carefully before signing. These Terms and Conditions of Sale apply to and are part of the Agreement set forth in this document. The terms "Customer" and "Pella Sales Branch" and/or "Seller" throughout this Agreement shall refer to the Customer signing the Agreement and to Pella Windows and Doors Mountain West, respectively. Prices are valid for 30 days.

Contract becomes binding only upon written acceptance by Pella Windows and Doors Mountain West ("Seller").

PAYMENT TERMS: The Customer agrees to pay Pella Sales Branch the amount set forth in the Contract (the "Contract Price") for the products and services described in this Agreement. The lesser amount of one-half of the Contract Price or the maximum percentage allowed by local law is due upon the execution of this Agreement as a deposit if the customer has not been granted credit OR if the Customer wishes to reduce their balance owing. If the Customer fails to pay all amounts when due, the Customer agrees to pay a finance charge on the unpaid balance at the lower of 1.5% per month or the maximum rate allowed by

state and local law upon the earliest date allowed by state and local law or thirty (30) days from the date of the original invoice.

PERFORMANCE: All promises of shipment are estimated as closely as possible and our best efforts are used in every case to ship within the time promised, but there is no guarantee to do so. Seller shall not be liable for any direct, indirect or consequential damage or loss caused by delay in shipment. The Customer represents that it has reviewed the local building ordinances and that the material it is ordering and its intended use comply with such ordinances.

CAUSES BEYOND OUR CONTROL: Seller shall not be responsible for default, damage, loss or delay in performance due to labor trouble, fires, accidents, floods or other causes beyond its control, or due to shortages of material or transportation failures resulting from war, national or local emergency, riots, governmental priorities, embargoes and like conditions and regulations.

GLAZING: Attention is directed to the Consumer Product Safety Act and the Federal Regulation for "Architectural Glazing Materials (16 CFR 1201)." THIS LAW SPECIFIES WHERE THE USE OF TEMPERED GLASS IS MANDATORY. In any instances of claims arising from the use of non-tempered glass, it will be the sole liability of the contractor or customer who accepted the glass as specified in our proposal that the use of such non-tempered glass is not prohibited by law, and that this glass will be used in areas in which non-tempered glass is allowable. Distortion in tempered glass is common and is not considered a defect.

MATERIAL HOLD: Product not yet delivered thirty (30) days beyond the customer's original need date is subject to payment due in full at that time. Product not yet delivered forty-five (45) days beyond the customer's original need date is subject to a warehousing charge of 2% of the pre-tax project total per month. This will be due and payable before or at the time of delivery.

TAXES: The Contract Price includes all sales, consumer, use, and similar taxes with respect to the Project. The taxes shown on this contract reflect the tax rate in the appropriate jurisdiction as of the date this contract was signed as understood by Pella Sales Branch and Customer. The Customer is responsible for paying the appropriate tax for the applicable jurisdiction at the time this contract is executed including any changes that have occurred since this contract was signed.

CONSEQUENTIAL DAMAGE: Seller shall not be liable for any direct, indirect or consequential damage or loss for any reasons, including but not limited to: any defect or defects in materials, improper installation, breakage, bursting or leakage.

ACCEPTANCE OF WORK AND MATERIALS: The Customer shall immediately upon delivery inspect all material. All work performed and materials supplied under

this Proposal shall be deemed to comply with all terms of the Proposal unless Seller is notified to the contrary within five (5) days following delivery.

EXTRAS: Should Customer or Customer's representative or agent, request or agree to any deletion from, modification of, or addition to the work covered by this Agreement or request the substitution of any products listed in the Window Purchase Contract, the Customer and Pella Sales Branch shall, in advance of such deletion, modification, or addition, execute a Change Order. Any products added by Change Order may require a 50% nonrefundable deposit to be paid with the execution of the Change Order. The terms of this Sales Contract shall apply to any and all additions or changes requested by Purchaser or the Purchaser's agent. The Total Cost will be adjusted by Pella to adjust for the additions and changes. Verbal changes will not be accepted.

CANCELLATIONS AND/OR CHANGES: Because these products are custom manufactured for your order, no changes or cancellations can be made within eight (8) weeks of need date, or a cancellation fee equal to 100% of the selling price will apply.

RIGHT TO LIEN: Pella reserves any and all rights under applicable law to secure payment of all sums owing under this Sales Contract, including but not limited to the right to assert a construction lien for any materials furnished under this Sales Contract. Pella may take any and all such action to secure its right to payment at any time before or after delivery of the materials furnished to purchaser.

DEFAULTS: If the customer fails to pay pursuant to the terms of this accepted proposal, the Customer agrees to pay all reasonable attorney fees and costs (of whatever nature) incurred by the Seller to obtain collection and also agree that jurisdiction and venue for said legal action shall be with Maricopa County, Arizona.

DELIVERY CONFIRMATION: You will receive a telephone call four days before your scheduled delivery with a two hour window of when to expect your delivery. If we cannot reach you we will leave a message. If we do not receive your confirmation within forty-eight hours it will be assumed that you are not ready for delivery, and your order will be rescheduled on the next available delivery in your area. Changes to confirmed delivery dates less than 24 hours before scheduled delivery will result in a \$150 rescheduling charge.

DELIVERY DAY: Pella Windows and Doors Mountain West provides delivery assistance to the customer's garage only. We also require customers to provide assistance in unloading and delivering product to the garage.

ENTIRE AGREEMENT: There are no representations, promises, agreements, understandings or conditions (precedent or subsequent) which are not expressed herein.

Order Totals	
Taxable Subtotal	\$81,121.54
Sales Tax @_7.2%	\$5,840.75
Non-taxable Subtotal	\$1,225.00
Total	\$88,187.29
Deposit Received	\$0.00
Amount Due	\$88,187.29