WV STATE DEPARTMENT OF HEALTH Office of Environmental Health Services ENVIRONMENTAL ENGINEERING DIVISION

SW258

WELL COMPLETION REPORT

T1 / 4	1/	1
Date(s) 2014 6 1993	County ###	pshize Permit #: DW 14-06-93-292
Town: CApor Beidge	Area Name/Loca	ation Timber Moontain Subdivision Lot T
Well Owner: Tommy & Chery	1 CROWN	Address: 3210 Kimberly DR.
Telephone Number: 410 635	-2367	mt Airy, mo 2/17/
Well Driller: Seeky W Ad	Ams	Address: PO Box '95Z
Telephone Number: 364 822	-4092	Romney, WV 26757
WELL LOG		
DEPTH IN FEET FORMATIONS: KIND, THICKNESS, AND) IF WATER BEARING	REMARKS:
0-28' SAND & Clay	- UNCOASOLILA	Type of Well: D/W Drilling Method: AL ROTARY HARAC
		red Well Diameter: 6-18 Casing O.D.: 6-5/8"
41' GRAV Shale-		Well Depth: 300' Date Completed: 7-6-93
Set Casing	-GROOT	CASING: Length 4Z Feet Height above ground Feet
82' GRAV Shale	CONSOLIDATE	Steel
120 GRAY Shale.	CONSOLIDA	Other
180 CRAY Shale	- Consolid H	Type
243' himestone-	Water 1-1/21	PASCREEN
258 Red Shale-	Consolidate	None Installed
279 himestone-	Cansolidata	
Water 2		Slot/Gauge Length
300' himestone-(3	Set Between Ft. and Ft.
Fest Well Vie	11-Stopped	
PUMPING OR BAILING TEST	eration	WELL HEAD
DETAILS	#1 #2 #3	Pitless Adapter: Type, Make, Etc. To be installed w/Pump Syst
Static Water Level (Ft. Below Grade)	195'	Well Cap: Type, Make, Etc. Royer 6-5/8 Candoit Type
Pumping Rate (GPM)	4	Well Seal: Type, Make, Etc.
Pumping Level (Ft Below Grade)	290'	Well Platform:
Duration of Test (In Hours)	1	Length Width Thickness
Recovery Time to Static Level (In Hours)	2-12'	Grouting: Ves □ No
	ESPE Tees Steen	All Public Water Supplies must be grouted.
I hereby certify that this well was drilled and is true to the best of my knowledge and be		ny supervision, in compliance with all requirements of the referenced permit, and that this record
a come person in Manage and Se	georgi organi, rajas,	DERRY W) Adams 004
e to a g		Name A & S Well Drilling Certification No.
are me = To		Registered Business Name
		Signed Signed State
		<u>5.</u>

SS-177 Revised 1-71


WEST VIRGINIA SEPTIC TANK INSPECTION FORM

Namphie County Health Department Installation Permit No. ST-14-94-30
Name of Owner Jonny Crown
Address 3210 Kimberly Drive, Md. airy, MO 21771
Property Address Jimber Mtm. Sub. Lot #7
DESCRIPTION & NUMBER OF UNITS SERVED
Type Facility Served In house to be No. Water Closets
Lot Size 2+ Area suitable for sewage disposal installation sq.ft
Source of Water Supply uell No. Lavatories
No. Bedrooms 2 No. Showers or Tubs No. Baths
No. Garbage Grinders No. Automatic Washers
SEPTIC TANK
Material x Width x Depth = cubic feet
Liquid Depth ft. Liquid Capacity gal.
Distance to: Dwelling 29' Water Supply 82' Nearest Property Line 100'+
SOIL ABSORPTION SYSTEM
Type Drain Line Material graveless Trench Width 24 Inches
Trench Depth 24 Inches Total Absorption area in Trench Bottom 600 sq. ft.
Diameter of Drain Line Inches Type Filter Media
No. of Drain Lines Depth Filter Media Under Drain Line Inches
Length of Each Line 100,100,, ft. Depth Filter Media Over Drain Line in
Distance of Disposal Field to: (a) Dwelling $52'$
(b) Water Supply 114' (c) Nearest Property Line 100'
An inspection of the septic tank system described herein disclosed that said system (MEETS, DOES NOT MEET) the minimum standards established by the West Virginia State Department of Health.
Date Sanitarian Sanitarian

SKETCH OF SYSTEM TO BE DRAWN ON BACK

Note: Copy of this inspection report must be given to owner and the original filed in the Health Department files. PERMANENT RECORD - DO NOT DESTROY.

* CAPON Bridge * Timber Mountain * St-14-94-30



* ALL Lines Level to Two (2) inches

* 10" Graveless Pipe Used.

* System Installed August 5, 1993

August 5, 1993

August 5, 1993

August 5, 1993