

## STATE OF TEXAS WELL REPORT for Tracking #627729

|                |   |               |                  |
|----------------|---|---------------|------------------|
| Owner:         | Gibson River Partners, LLC                | Owner Well #: | No Data          |
| Address:       | 2431 Wooldridge Dr.<br>Austin , TX 78703  | Grid #:       | 57-45-7          |
| Well Location: | 145 Gipson Road<br>Johnson City, TX 78636 | Latitude:     | 30° 17' 28" N    |
| Well County:   | Blanco                                    | Longitude:    | 098° 27' 34.1" W |
|                |   | Elevation:    | No Data          |
| Type of Work:  | New Well                                  | Proposed Use: | Domestic         |

Drilling Start Date: 11/7/2022

Drilling End Date: 11/7/2022

|           | Diameter (in.) | Top Depth (ft.) | Bottom Depth (ft.) |
|-----------|----------------|-----------------|--------------------|
| Borehole: | 10             | 0               | 98                 |
|           | 6.75           | 98              | 125                |
|           | 6              | 125             | 165                |

Drilling Method: Air Hammer

Borehole Completion: Filter Packed

|                        | Top Depth (ft.) | Bottom Depth (ft.) | Filter Material | Size |
|------------------------|-----------------|--------------------|-----------------|------|
| Filter Pack Intervals: | 60              | 98                 | Gravel          | pea  |

|                    | Top Depth (ft.) | Bottom Depth (ft.) | Description (number of sacks & material) |
|--------------------|-----------------|--------------------|--|
| Annular Seal Data: | 1               | 3                  | Cement 0.5 Bags/Sacks                    |
|                    | 3               | 60                 | Bentonite 5 Bags/Sacks                   |

Seal Method: Gravity

Distance to Property Line (ft.): 60

Sealed By: Driller

Distance to Septic Field or other  
concentrated contamination (ft.): n/a

Distance to Septic Tank (ft.): n/a

Method of Verification: estimated

Surface Completion: Pitless Adapter Used

Surface Completion by Driller

|               |   |                     |             |
|---------------|---|---------------------|-------------|
| Water Level:  | 60.5 ft. below land surface on 2022-11-07 | Measurement Method: | Sonic/Radar |
| Packers:      | none                                      |                     |             |
| Type of Pump: | No Data                                   |                     |             |
| Well Tests:   | Estimated                                 | Yield:              | 100+ GPM    |

Water Quality:

| Strata Depth (ft.) | Water Type                           |
|--------------------|--------------------------------------|
| 80 - 89            | 60+ gpm                              |
| 112 - 113          | 20 gpm                               |
| 140 - 165          | 20 gpm - 400 TDS, 24 grains hardness |

Chemical Analysis Made: **Yes**

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: **L & L Drilling Co.**  
**P.O. Box 217**  
**Hye, TX 78635**

Driller Name: **Austin Durst**

License Number: **60909**

Comments: **No Data**

Lithology:  
DESCRIPTION & COLOR OF FORMATION MATERIAL

| Top (ft.) | Bottom (ft.) | Description   |
|-----------|--------------|---|
| 0         | 1            | brown topsoil   |
| 1         | 15           | caliche & whale with yellow clay                                  |
| 15        | 34           | gray clay & shale   |
| 34        | 42           | brown clay & shale  |
| 42        | 59           | white shale & clay  |
| 59        | 80           | brown limestone with red clay                                     |
| 80        | 89           | fractured white & brown limestone with yellow clay - water 60+gpm |
| 89        | 113          | white limestone   |
| 112       | 113          | water 20 gpm  |
| 113       | 140          | white & brown limestone with red streaks                          |
| 140       | 165          | white, red & brown limestone - water 20 gpm                       |

Casing:  
BLANK PIPE & WELL SCREEN DATA

| Dia (in.) | Type                  | Material          | Sch./Gage | Top (ft.) | Bottom (ft.) |
|-----------|-----------------------|-------------------|-----------|-----------|--------------|
| 6         | Blank                 | New Plastic (PVC) | 40 0.28   | -2        | 85           |
| 6         | Perforated or Slotted | New Plastic (PVC) | 40 0.28   | 85        | 99           |

---

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

**Texas Department of Licensing and Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 334-5540**