

ELBA

Refer to page 75 for keyed parcels

T.10N.-R.13E.

SEE PAGE 30



SEE PAGE 20

© 2013 Rockford Map Publs., Inc.
W12450 W12050 W11650 W11250 W10850 W10450 W10050

SEE PAGE 8

Dodge County, WI





Columbus: 920.623.4160 • Toll Free: 800.242.1887
Marshall: 608.834.2500 • Fax: 920.623.4199

www.duffygrain.com


N3867 Baden Street • P.O. Box 250 • Columbus, WI 53925-0250

Complete Grain Marketing and Transportation Services





Soil Map—Dodge County, Wisconsin



MAP LEGEND

Area of Interest (AOI)		Area of Interest (AOI)		Spoil Area
Soils		Soil Map Unit Polygons		Stony Spot
		Soil Map Unit Lines		Very Stony Spot
		Soil Map Unit Points		Wet Spot
Special Point Features		Blowout		Other
		Borrow Pit		Special Line Features
		Clay Spot		Water Features
		Closed Depression		Streams and Canals
		Gravel Pit		Transportation
		Gravelly Spot		Rails
		Landfill		Interstate Highways
		Lava Flow		US Routes
		Marsh or swamp		Major Roads
		Mine or Quarry		Local Roads
		Miscellaneous Water		Background
		Perennial Water		Aerial Photography
		Rock Outcrop		
		Saline Spot		
		Sandy Spot		
		Severely Eroded Spot		
		Sinkhole		
		Slide or Slip		
		Sodic Spot		

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Dodge County, Wisconsin
Survey Area Data: Version 19, Sep 6, 2022

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.


Date(s) aerial images were photographed: May 13, 2020—Aug 16, 2020


The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AcA	Ackmore silt loam, 0 to 3 percent slopes	0.3	0.7%
DdB	Dodge silt loam, 2 to 6 percent slopes	0.3	0.7%
EbA	Elburn silt loam, 0 to 3 percent slopes	0.6	1.6%
JuB	Juneau silt loam, 2 to 6 percent slopes	0.8	2.0%
LmB	Lamartine silt loam, 2 to 6 percent slopes	3.8	9.8%
MyB	Miami silt loam, 2 to 6 percent slopes	0.7	1.7%
Ph	Pella silty clay loam, cool, 0 to 2 percent slopes	26.5	67.4%
SdA	St. Charles silt loam, moderately well drained, 0 to 2 percent slopes	6.4	16.2%
Totals for Area of Interest		39.3	100.0%


Farmland Classification—Dodge County, Wisconsin





Farmland Classification—Dodge County, Wisconsin

	Prime farmland if subsoiled, completely removing the root inhibiting soil layer		Farmland of statewide importance, if drained and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if irrigated and reclaimed of excess salts and sodium		Farmland of unique importance		Prime farmland if subsoiled, completely removing the root inhibiting soil layer
	Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if irrigated and drained		Farmland of statewide importance, if drained or either protected from flooding or not frequently flooded during the growing season		Not prime farmland		Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60
	Prime farmland if irrigated and reclaimed of excess salts and sodium		Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season		Prime farmland if drained		Prime farmland if irrigated and reclaimed of excess salts and sodium
	Farmland of statewide importance		Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season		Prime farmland if protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance
	Farmland of statewide importance, if drained		Farmland of statewide importance, if subsoiled, completely removing the root inhibiting soil layer		Farmland of statewide importance, if warm enough		Prime farmland if irrigated		Farmland of statewide importance, if drained
	Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if thawed		Prime farmland if and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season
	Farmland of statewide importance, if irrigated				Farmland of local importance		Prime farmland if irrigated and drained		Farmland of statewide importance, if irrigated
			Farmland of local importance, if irrigated				Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season		



Farmland Classification

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
AcA	Ackmore silt loam, 0 to 3 percent slopes	Prime farmland if drained	0.3	0.7%
DdB	Dodge silt loam, 2 to 6 percent slopes	All areas are prime farmland	0.3	0.7%
EbA	Elburn silt loam, 0 to 3 percent slopes	Prime farmland if drained	0.6	1.6%
JuB	Juneau silt loam, 2 to 6 percent slopes	All areas are prime farmland	0.8	2.0%
LmB	Lamartine silt loam, 2 to 6 percent slopes	Prime farmland if drained	3.8	9.8%
MyB	Miami silt loam, 2 to 6 percent slopes	All areas are prime farmland	0.7	1.7%
Ph	Pella silty clay loam, cool, 0 to 2 percent slopes	Prime farmland if drained	26.5	67.4%
SdA	St. Charles silt loam, moderately well drained, 0 to 2 percent slopes	All areas are prime farmland	6.4	16.2%
Totals for Area of Interest			39.3	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary

Tie-break Rule: Lower