


Carpenter Land

Throckmorton County, Texas, AC +/-



Gate Boundary

|  All Polygons 184.08 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|-----------|-------|-----|-------|------|
| LeA | Leeray clay, 0 to 1 percent slopes | 142.96 | 77.67 | 0 | 40 | 3s |
| ThC | Throck silty clay loam, 1 to 5 percent slopes | 20.65 | 11.22 | 0 | 35 | 3e |
| RdA | Rowden clay loam, 0 to 3 percent slopes | 13.14 | 7.14 | 0 | 34 | 3s |
| LtD | Lueders-Throck complex, 1 to 8 percent slopes, extremely stony | 7.33 | 3.98 | 0 | 15 | 7s |
| TOTALS | | 184.08(*) | 100% | - | 38.02 | 3.16 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 86.08 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|----------|-------|-----|-------|-----|
| LeA | Leeray clay, 0 to 1 percent slopes | 70.59 | 82.01 | 0 | 40 | 3s |
| ThC | Throck silty clay loam, 1 to 5 percent slopes | 15.49 | 17.99 | 0 | 35 | 3e |
| TOTALS | | 86.08(*) | 100% | - | 39.1 | 3.0 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 19.71 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|----------|-------|-----|-------|-----|
| LeA | Leeray clay, 0 to 1 percent slopes | 14.55 | 73.82 | 0 | 40 | 3s |
| ThC | Throck silty clay loam, 1 to 5 percent slopes | 5.16 | 26.18 | 0 | 35 | 3e |
| TOTALS | | 19.71(*) | 100% | - | 38.69 | 3.0 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 78.29 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|----------|-------|-----|-------|------|
| LeA | Leeray clay, 0 to 1 percent slopes | 57.82 | 73.86 | 0 | 40 | 3s |
| RdA | Rowden clay loam, 0 to 3 percent slopes | 13.14 | 16.79 | 0 | 34 | 3s |
| LtD | Lueders-Throck complex, 1 to 8 percent slopes, extremely stony | 7.33 | 9.36 | 0 | 15 | 7s |
| TOTALS | | 78.29(*) | 100% | - | 36.66 | 3.37 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

| |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|--|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water