



Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Montgomery**
 Location: **8-20N-4W**
 Township: **Madison**
 Acres: **44.73**
 Date: **3/30/2023**



WHITETAIL PROPERTIES REAL ESTATE
 HUNTING | RANCH | FARM | TIMBER

Maps Provided By:



Area Symbol: IN107, Soil Area Version: 27

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Soil Drainage	Hydric Rating	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
FgB2	Fincastle-Miami silt loams, 2 to 6 percent slopes, eroded	22.78	50.9%		Somewhat poorly drained	6	Ile	74	74	63	59
OfB2	Ockley silt loam, kame, 2 to 6 percent slopes, eroded	4.27	9.5%		Well drained		Ile	78	78	70	62
Mb	Mahalasville silty clay loam, 0 to 2 percent slopes	4.23	9.5%		Poorly drained	98	Ilw	87	85	70	77
CbB	Camden silt loam, 2 to 6 percent slopes	3.86	8.6%		Well drained		Ile	94	94	79	81
Ms	Milford silty clay loam, pothole	2.60	5.8%		Very poorly drained	100	IVw	91	91	66	77
My	Muskego muck, undrained	2.46	5.5%		Very poorly drained	100	VIw	44	44	24	30
FdA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	2.43	5.4%		Somewhat poorly drained	15	Ilw	90	90	75	80
Du	Drummer silty clay loam	1.06	2.4%		Poorly drained	100	Ilw	92	92	69	76
MoC2	Miami silt loam, 6 to 12 percent slopes, eroded	0.67	1.5%		Moderately well drained	5	Ille	64	64	57	49
SIA	Starks silt loam, 0 to 2 percent slopes	0.31	0.7%		Somewhat poorly drained	6	Ilw	91	91	75	79
MeB	Martinsville-Ockley silt loams, till substratums, 2 to 6 percent slopes	0.06	0.1%		Well drained	5	Ile	85	85	75	72
Weighted Average							2.35	*n 78	*n 77.8	*n 64.5	*n 63.9

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.