

## **Soils Map**





State: Minnesota County: Lincoln

17-113N-45W Location:

Township: Marble Acres: 172.06 8/22/2023 Date:







Soils data provided by USDA and NRCS.

| Area Symbol: MN081, Soil Area Version: 21 |  |       |                  |                      |                  |                    |
|---|--|-------|------------------|----------------------|------------------|--------------------|
| Code                                      | Soil Description   | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Productivity Index |
| J106B                                     | Barnes-Buse-Svea complex, 1 to 6 percent slopes                                  | 66.12 | 38.4%            |                      | lle              | 88                 |
| J96C2                                     | Barnes-Buse complex, 6 to 12 percent slopes, moderately eroded                   | 59.75 | 34.7%            |                      | Ille             | 80                 |
| J99A                                      | Lakepark clay loam, 0 to 3 percent slopes, overwash                              | 20.90 | 12.1%            |                      | llw              | 98                 |
| J107A                                     | Lakepark-Roliss-Parnell, depressional, complex, 0 to 3 percent slopes            | 10.15 | 5.9%             |                      | llw              | 93                 |
| J26B                                      | Darnen loam, 2 to 6 percent slopes   | 3.91  | 2.3%             |                      | lle              | 99                 |
| J101B                                     | Hokans-Svea complex, 1 to 4 percent slopes                                       | 3.58  | 2.1%             |                      | lle              | 98                 |
| J48A                                      | Southam silty clay loam, 0 to 1 percent slopes                                   | 3.52  | 2.0%             |                      | VIIIw            | 5                  |
| J11A                                      | Vallers clay loam, 0 to 2 percent slopes   | 1.48  | 0.9%             |                      | llw              | 90                 |
| J57A                                      | Balaton loam, 1 to 3 percent slopes  | 1.04  | 0.6%             |                      | lls              | 96                 |
| J95F                                      | Buse, stony-Wilno complex, 25 to 40 percent slopes                               | 0.73  | 0.4%             |                      | VIIe             | 17                 |
| J1A                                       | Parnell silty clay loam, depressional, 0 to 1 percent slopes                     | 0.65  | 0.4%             |                      | IIIw             | 86                 |
| J80A                                      | Lamoure-La Prairie complex, channeled, 0 to 2 percent slopes, frequently flooded | 0.23  | 0.1%             |                      | Vw               | 20                 |
|   |  |       |                  | Weighted Average     | 2.50             | 85.2               |

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.