

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Washington County, Indiana

Map Unit Symbol	Map unit name	Corn Bu	Soy- beans Bu	Winter Wheat Bu/Ac	Grass- Legume Hay Tons	Pasture AUM
AIB	Alvin fine sandy loam, 2 to 6 percent slopes	115	40	46	3.8	7.6
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	56	55	4.8	9.6
Ba	Bartle silt loam, 0 to 2 percent slopes	136	52	52	4.5	9
BcrAW	Beanblossom silt loam, 0 to 3 percent slopes, occasionally flooded, very brief duration	98	34	34	3.2	6.4
BdA	Bedford silt loam, 0 to 2 percent slopes	133	47	58	4.4	8.8
BdB	Bedford silt loam, 2 to 6 percent slopes	136	48	60	4.5	9
BdC2	Bedford silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
BhF	Browns town-Gilwood silt loams, 25 to 75 percent slopes	0	0	0	0	0
BmC	Bloomfield loamy fine sand, 6 to 18 percent slopes	80	28	32	2.6	5.2
BmF	Bloomfield loamy fine sand, 18 to 40 percent slopes	0	0	0	0	0
Bo	Bonnie silt loam, frequently flooded	125	44	0	0	0
Br	Bromer silt loam	145	55	51	4.8	9.6
CaE2	Caneyville-Hagerstown silt loams, 18 to 25 percent slopes, eroded	0	0	0	0	0
CdF	Caneyville-Rock outcrop complex, 25 to 50 percent slopes	0	0	0	0	0
CeD2	Chetwynd loam, 8 to 18 percent slopes, eroded	105	37	42	3.5	7
CeF	Chetwynd loam, 18 to 35 percent slopes	0	0	0	0	0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Washington County, Indiana

ChB	Cincinnati silt loam, 2 to 6 percent slopes	135	47	61	4.5	9
ChC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7
CoB	Crider silt loam, 2 to 6 percent slopes	144	50	58	4.8	9.6
CoC2	Crider silt loam, 6 to 12 percent slopes, eroded	127	44	52	4.2	8.4
CoD2	Crider silt loam, 12 to 18 percent slopes, eroded	120	42	48	4	8
CrC3	Crider silty clay loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
CrD3	Crider silty clay loam, 12 to 18 percent slopes, severely eroded	115	40	46	3.8	7.6
CsC2	Crider silt loam, karst, 4 to 12 percent slopes, eroded	135	47	54	4.5	9
CtD2	Crider-Frederick silt loams, karst, 12 to 22 percent slopes, eroded	110	38	44	3.6	7.2
Cu	Cuba silt loam, frequently flooded	116	40	0	0	0
Cw	Cuba silt loam, occasionally flooded	125	44	43	4.1	8.2
DbA	Dubois silt loam, 0 to 2 percent slopes	127	49	48	4.2	8.4
EIB	Elkinsville silt loam, 2 to 6 percent slopes	144	51	58	4.8	9.6
EIC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
FwD2	Frederick silt loam, karst, 12 to 22 percent slopes, eroded	85	30	34	2.8	5.6
FxC2	Frederick-Baxter variant complex, karst, 4 to 12 percent slopes, eroded	105	37	42	3.5	7
GID2	Gilpin silt loam, 12 to 18 percent slopes, eroded	75	26	30	2.5	5

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Washington County, Indiana

GnF	Gilpin-Berks loams, 18 to 50 percent slopes	0	0	0	0	0
GpF	Gilpin-Berks-Ebal complex, 18 to 50 percent slopes	0	0	0	0	0
HaC2	Hagerstown silt loam, 6 to 12 percent slopes, eroded	90	32	40	3	6
HcC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	80	28	36	2.6	5.2
HeD2	Hagerstown-Caneyville silt loams, 12 to 18 percent slopes, eroded	67	23	29	2.2	4.4
HhA	Haubstadt silt loam, 0 to 2 percent slopes	135	47	61	4.5	9
HhB	Haubstadt silt loam, 2 to 6 percent slopes	121	43	53	4	8
Hm	Haymond silt loam, frequently flooded	120	42	0	0	0
HrD2	Hickory silt loam, Muscatatuck Plateau, 12 to 18 percent slopes, eroded	116	40	47	3.8	7.6
MaB	Markland silt loam, 2 to 8 percent slopes	125	44	50	4.1	8.2
MgA	McGary silt loam, 0 to 2 percent slopes	140	52	48	4.6	9.2
Mo	Montgomery silty clay loam	160	56	52	5.3	10.6
No	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	120	42	0	0	0
Omz	Orthents, earthen dam	0	0	0	0	0
OtC2	Otwell silt loam, 6 to 12 percent slopes, eroded	120	42	54	4	8
PeA	Pekin silt loam, 0 to 2 percent slopes	131	46	58	4.3	8.6
PeB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PeC2	Pekin silt loam, 6 to 12 percent slopes, eroded	116	41	52	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Washington County, Indiana

Pg	Peoga silt loam, 0 to 1 percent slopes	129	48	41	4.3	8.6
Ph	Peoga silt loam, clayey substratum	159	56	52	5.2	10.4
Pt	Pits, quarries	0	0	0	0	0
RsB	Rossmoyne silt loam, 2 to 6 percent slopes	135	47	61	4.5	9
Sf	Stendal silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	124	46	0	0	0
So	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	139	51	42	4.6	9.2
W	Water	0	0	0	0	0
Wa	Wakeland silt loam, frequently flooded	130	46	0	0	0
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	118	41	47	3.9	7.8
WeD	Wellston silt loam, 12 to 18 percent slopes	110	38	44	3.6	7.2
ZaB	Zanesville silt loam, 1 to 6 percent slopes	125	44	56	4.1	8.2
ZaC2	Zanesville silt loam, 6 to 12 percent slopes, eroded	110	38	49	3.6	7.2
Zp	Zipp silty clay	150	52	48	5	10