

HAMPSHIRE COUNTY COMMISSION OF HAMPSHIRE, STATE OF WEST VIRGINIA
NANCY C. FELLER, CLERK
P.O. BOX 806
ROMNEY, W. VA. 26757

BUILDING PERMIT APPLICATION

Permit No. 2014

Fee \$ 25.00

Applicant Information

Name: Opha & Gary Boston
Address: 202 HOMER PLACE CT
WINCHESTER, VA 22602
Phone: 703-869-4405

Name, Address and Phone Number of
Owner, if different from above

Name: _____

Address: _____

Phone: _____

Taxing District: Bloomery

Map Number: 8

Parcel Number: 93

Deed Book Number: 326

Page Number: 42

Acres or Lot Size: 2.06

Estimated Cost: \$15,000

Completion Date: 11-15-94

Dimensions: 24' X 24'

Description of Work: Split Faced

8" Block, 6/12 std roof - tin cover

Not Flood Prone: NO

I hereby certify that this structure will not be
located in the Flood Plain District.

Gary L. Boston
Signature

Name & Address of Contractor:

GARY BOSTON
202 HOMER PLACE CT
WINCHESTER, VA 22602

Site Location (Give Reference to
Roads, Streams, etc.):

CACAPON HEIGHTS, Track #49

Number of Bathrooms 1

Number of Bedrooms: 2

Type of Construction (Check One):

- ☒ Recreational/Vacation (cabin)
☐ Residential (permanent, year-round)
☐ Mobile Home
☐ Commercial (store, restaurant, etc.)
☐ Outbuilding (garage, barn, etc.)
☐ Other (church, fire station, misc.)

Permit for Water System: _____

Permit for Sewage System: ST-14-94-391

(Attach Copy)

Gary L. Boston 4-21-94
Applicant's Signature Date

Stephen P. H. 5-24-94
County Commission Date

Flood Prone: NO (If determined to be in the
Flood Plain District, you will be provided with a list
of additional information to be supplied to the
County Commission.)

County Planner

Please send well Permit

WEST VIRGINIA
SEPTIC TANK INSPECTION FORM

Back
Sketch of
System

Hampshire County Health Department Installation Permit No. ST-14-94-391
Name of Owner Imy Boston - Orlan Boston
Address 202 Homelace Ct., Winchester, VA 22602
Property Address Cacapon Mts. Lot # 49

DESCRIPTION & NUMBER OF UNITS SERVED

Type Facility Served new home No. Water Closets
Lot Size 2.06 ^{acres} ~~sq. ft.~~ Area suitable for sewage disposal installation sq. ft.
Source of Water Supply well No. Lavatories
No. Bedrooms 2 No. Showers or Tubs No. Baths
No. Garbage Grinders No. Automatic Washers

SEPTIC TANK

Material concrete Length x Width x Depth = cubic feet
Liquid Depth ft. Liquid Capacity 1000 gal.
Distance to: Dwelling 20 Water Supply 50 Nearest Property Line 75

SOIL ABSORPTION SYSTEM

Type Drain Line Material gravelless Trench Width 24 Inches
Trench Depth 24 Inches Total Absorption area in Trench Bottom 600 sq. ft.
Diameter of Drain Line 10 Inches Type Filter Media
No. of Drain Lines 3 Depth Filter Media Under Drain Line Inches
Length of Each Line 60, 90, 50, ft. Depth Filter Media Over Drain Line in.
Distance of Disposal Field to: (a) Dwelling 70
(b) Water Supply 100' (c) Nearest Property Line 30'

An inspection of the septic tank system described herein disclosed that said system (MEETS, DOES NOT MEET) the minimum standards established by the West Virginia State Department of Health.

4-18-95
Date

J. Linder
Sanitarian

SKETCH OF SYSTEM TO BE DRAWN ON BACK

Note: Copy of this inspection report must be given to owner and the original filed in the Health Department files. PERMANENT RECORD - DO NOT DESTROY.

To: Gary L. Boston Address: 202 Homestead Ct
Winchester VA 22601

You are hereby issued a permit to install
a small sewage disposal system consisting of a septic tank and drainfield
and located at Crouse Rd Subdiv 56

This small sewage disposal system shall meet the following specifications:










1. Septic Tank
 - a. Shall be made of precast concrete and not less than 1000 gallon capacity.
2. Soil-Absorption System
 - a. Shall consist of 2 distribution lines 4" in diameter.
 - b. Each distribution line shall be 100 feet in length
 - c. Each trench shall be 24-36" 10' inch width with ZERO slope on trench bottom and ZERO slope on each distribution line.
 - d. No trench shall be more than 24 inches deep.
 - e. Total soil-absorption area in trench bottoms shall be 600 sq. ft.
 - f. Filter material shall be gravel and not greater than 1/2 - 2 1/2 inches in diameter.
 - g. Filter material under each line shall be not less than 9-10 inches deep and not less than 2 inches over each distribution line.
 - h. Filter material shall be covered with lawn prior to backfilling.
 - i. Trenches shall be backfilled at least 6" above ground surface to provide for settling of backfill.
3. Other Small Sewage or Excreta Disposal Systems (Name the type system to be used, then use back of sheet to describe the details of the system.)
none unless really dug on Sunday
4. Special Requirements
 - a. Small sewage and excreta disposal systems shall be located at least 10 ft. from any property line and a minimum of 20 ft. from any stream or roadside cut.
 - b. Septic tanks shall be located at least 10 ft. and excreta disposal systems a minimum of 20 ft. from building foundation.
 - c. Septic tanks shall be located a minimum of 50 ft. and soil-absorption systems and excreta disposal systems a minimum of 100 ft. from any ground water supply or cistern.
5. This permit is not transferable and automatically expires 12 months after date of issue.
6. The applicant or his agent must notify this department, phone 822-5111 at least 72 hours before the system is ready for inspection.
7. All small sewage and excreta disposal systems must be inspected and approved prior to being covered with earth or otherwise put into service. Any applicable system or part thereof covered before being inspected shall be uncovered at the direction of the SANITARIAN.
8. This permit is NULL AND VOID when official inspection reveals conditions are different than those stipulated in this permit or if facts later become known that a health hazard would result by the installation of this system.

4-25-94

Date of Issue
Hampshire County Health Dept.
66 N. High Street Room #3
Romney, WV 26757
Phone: 304-822-5111
Health Department

David Dunlop
Name
Sanitarian
Title

Please draw a sketch of the property showing existing or proposed well location, location of structures, existing or proposed sewage systems within 200 feet of well location, slope of site and lot dimensions. Locate animal pens, barnyards or any other factors which can be a possible source of contamination for the water supply.

	House		Water Supply		Percolation Test Site
	Soil Absorption Line		Dir. of Ground Slope		Property Line
	Trees		Septic Tank		Mobilehome

PART III SEWAGE DISPOSAL SYSTEM INFORMATION

☒ Install ☐ Modify

☒ Septic Tank ☒ Absorption Field ☐ Holding Tank ☐ Pit Privy ☐ Vault Privy

☐ Chemical/Composting Toilet ☐ Alternate System (attach detailed plans)

Other _____

DESCRIPTION OF PROPOSED SYSTEM:

Septic Tank: Capacity 1000 Material precast concrete Nearest Prop. Line _____

Absorption Field: 600 Sq.ft. with 2 lines and 100' long

Pipe ASTM No. _____ Nearest Property Line _____

Type of Water Supply: _____ Area Suitable for Absorption Field: _____ Sq.ft.

Six-foot hole free of water or solid rock? ☐ Yes ☐ No

PERCOLATION TEST:

TEST HOLE: #1 #2 #3 #4

_____ minutes _____ minutes _____ minutes _____ minutes

Total minutes _____, divided by 24 = _____ average time for water to fall one inch.

Test done on _____ (date) using approved procedures outlined in the Design Standards.

Signed: _____

Signature of Installer

Certification No. _____

Date _____


TRACT 49

← 170' →

10' 200'


547.88'

515.87'



10" gravelless pipe
(24" from surface)
4" Sch 40 for
all interconnects

100' min.



gravel 1/2 to 2 1/2"
200' of 10" gravelless

6' minimum
10' Recommended
600 sq ft

Mountain Top Road
← (Road out)

ROAD

Property line