Survey for and Jolene Majerus Thomas SW 1/4 OF THE SE 1/4 OF SECTION 29, AND GOVERNMENT LOT 1 OF SECTION 32, ALL IN TOWNSHIP 21 NORTH, RANGE 12 WEST, TOWN OF BELVIDERE, BUFFALO COUNTY, WISCONSIN 250 500 750 SCALE: 1" =250 S 89°03'54" E 1312.36 BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE SE 1/4 OF SECTION 29, T.21N, R.12W, WHICH IS S 89'31'56" E IN THE BUFFALO COUNTY I-NE DEED BEARING SYSTEM. (NAD 1983) (1991) OF WEST 00"05"33" 00'12'16" BUFFAL COUNTY REMNANTS EXIST DEED DOC. NO. 261720 П 54.07 ACRES TOTAL FENCE OR FENCE, SW 1/4, SE 1/4 SEC. 29, T.21N, R.12W 40.15 ACRES N 00'12'16" W SOUTHEAST CORNER, 114.59 A POWERLINE EASEMENT SECTION 29, T.21N, R.12W, EXISTS ON THIS PARCEL FD. 7/8" REBAR WITH ALUM. CAP ALSO, BUT IS NOT SHOWN N 89°31'56" W ON THIS MAP. 2619.17 SECTION LINE CORNER FALLS IN ROCK CLIFF NO. X1.324 ×9. SET 2' OFFSET SOUTHERLY SOUTH QUARTER CORNER, SECTION 29, T.21N, R.12W, FD. 7/8" REBAR WITH ALUM. CAP GOV'T LOT 1 SEC. 32, T.21N, R.12W 13.92 ACRES 00"05"25" 1105.97 JOHN GEORGE TRAGE FENCE OR FENCE REMNANTS GL KA S-2. HOLM. WIS. THE CALLS MILLIAN SURES LINES DRIVEWAY prepared by: I HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND IS ARROW LAND CORRECT TO THE BEST OF MY KNOWLEDGE AND SURVEYING BELIEF, AND THAT I HAVE COMPLIED WITH A.-E 7. **LEGEND** Ed Ly 1606 Prairie Place, Apt. 106 O = SET 1" O.D. X 18" IRON PIPE JOHN G. KRAGE 219/24 WEIGHING 1.13 LBS. /L.F. Holmen, WI 54636 (R.A.) = RECORDED AS DIMENSION DATE Phone (507) 458-0483

SHEET

1

OF

2

SHEETS

email: arrowlandsurveying@gmail.com

## SECTIONS 29 80 32, T.21N, R.12W SECTION BREAKDOWN PARTIAL NORTH QUARTER CORNER. SECTION 29 FD. 3" DIA. CAST IRON PIPE WITH BRONZE PLUG NE 1/4, SEC. 29 00"12"16" NW 1/4, SEC. 29 BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE SE 1/4 OF SECTION 29, T.21N, R.12W, WHICH IS S 89'31'56" E IN THE BUFFALO COUNTY BEARING SYSTEM. (NAD 1983) (1991) NOT TO SCALE S 88\*35'59" E WEST QUARTER CORNER, SECTION 29 S 88'35'59" E S 88'35'59" E EAST QUARTER CORNER, SECTION 29 FD. 3" DIA. CAST IRON PIPE WITH BRONZE PLUG 2625.01" 1315.23 1315.23 FD. 3" DIA. CAST IRON PIPE WITH BRONZE PLUG 00"12"16" 1345.45 00'05'33" 00.01,17" 1334.72 1324.00 NW-SE NE-SE SEC. 29 SEC. 29 m S S 89°03'54" E S 89'03'54" E SW 1/4, SEC. 29 1312.36' 1312.36 00"12"16" 00"05'33" 1345.45 00.01,17" 1334.72 1324.00 SW-SE SEC. 29 SE-SE SEC. 29 S 89'31'56" E S 89'31'56" E SOUTH QUARTER CORNER OF SECTION 29 FD. 7/8" REBAR WITH ALUM. CAP SOUTHEAST CORNER SECTION 29 1309.59 1309.59 FD. 7/8" REBAR WITH ALUM. CAP 00'22'01" 1322.42 00"11"21" 00.05,25 1309.40 1315.90 GOV'T LOT 1 SEC. 32 NE-NE SEC. 32 NW 1/4, SEC. 32 S 89'49'02" E S 89'49'02" E 1315.95 1315.95 00°22'01" W 00"11"21" E 1322.42 00.05,25 1315.90 1309,40 SW-NE SEC. 32 N 89'54'01" E N 89'54'01" E N 89°54'01" E WEST QUARTER CORNER SECTION 32 EAST QUARTER CORNER 2639.63 1322.34 1322.34 SECTION 32 FD. 7/8" REBAR WITH ALUM. CAP FD. 2-1/2" DIA. CAST IRON PIPE WITH BRASS CAP SW 1/4, SEC. 32 00.22,01" SE 1/4, SEC. 32 SOUTH QUARTER CORNER SECTION 32 FD. 3" DIA. CAST IRON PIPE WITH BRONZE PLUG prepared by: I HEREBY CERTIFY THAT THIS SURVEY, PLAN, OR REPORT WAS PREPARED BY ME OR ARROW LAND UNDER MY DIRECT SUPERVISION AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND SURVEYING BELIEF, AND THAT I HAVE COMPLIED WITH A.-E 7. 1606 Prairie Place, Apt. 106 JOHN G. KRAGE Holmen, WI 54636 Phone (507) 458-0483 email: arrowlandsurveying@gmail.com

SHEET

2

2

OF

SHEETS



