

Total Soils Map





State: **lowa**County: **Dallas**

Location: **28-79N-29W**

Township: **Linn**Acres: **34.16**Date: **2/13/2024**







Soils data provided by USDA and NRCS.

| Area Symbol: IA049, Soil Area Version: 30 | | | | | | | | | | |
|---|--|-------|------------------|----------------|---------------------|---------------|-------------------|--------|-----|---------------------|
| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | *i Corn Bu | *i Soybeans Bu | CSR2** | CSR | *n NCCPI Overall |
| L138C2 | Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 11.02 | 32.3% | | IIIe | 0.0 | 0.0 | 83 | | 64 |
| L236C2 | Lester loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 5.59 | 16.4% | | Ille | 0.0 | 0.0 | 77 | | 72 |
| L168F | Hayden loam, Bemis moraine, 22 to 40 percent slopes | 4.98 | 14.6% | | VIIe | 0.0 | 0.0 | 5 | | 18 |
| 138D2 | Clarion loam, 9 to 14 percent slopes, moderately eroded | 4.92 | 14.4% | | Ille | 176.0 | 51.0 | 54 | 56 | 68 |
| 169B | Clarion loam, 2 to 5 percent long slopes | 4.92 | 14.4% | | lle | 225.6 | 65.4 | 91 | 92 | 79 |
| 201B | Coland-Terril complex, 2 to 5 percent slopes | 2.73 | 8.0% | | llw | 208.0 | 60.3 | 74 | 68 | 83 |
| Weighted Average | | | | | 3.36 | 74.5 | 21.6 | 66.9 | *- | *n 62.9 |

^{**}IA has updated the CSR values for each county to CSR2.

^{**}IA has updated the CSR values for each county to CSR2.*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

^{**}IA has updated the CSR values for each county to CSR2.*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

^{*}n: The aggregation method is "Weighted Average using all components"

^{**}IA has updated the CSR values for each county to CSR2.*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.*c: Using Capabilities Class Dominant Condition Aggregation Method