

PART 3: Authorization to Operate (ATO)

LHD USE ONLY: Initial submittal of request for ATO received: <u>1/25/24</u> by <u>SG</u>
Date Initials

The following items are included in this Authorization to Operate for an EOP:

- | | | |
|---|---|--|
| 1. Signed and sealed copy of the Soil Scientist's report that includes the information in G.S. 130A-336.1(k)(1) and 15A NCAC 18A .1971(f) | ☒ Yes | ☐ No |
| 2. Operation and management program and ORC contract, if applicable | ☒ Yes | ☐ No |
| 3. Letter documenting Owner's acceptance of the system from the PE | ☒ Yes | ☐ No |
| 4. Owner meets requirements of ownership or control of the system per 15A NCAC 18A .1938(j) | ☒ Yes | ☐ No |
| 6. Easement, right of way, or encroachment agreement required per 15A NCAC 18A .1938(j) | ☐ Yes | ☒ No |
| 7. Multi-party agreements required, as applicable, pursuant to 15A NCAC 18A .1937(h) | ☐ Yes | ☒ No |
- If yes, agreements filed in _____ County Register of Deeds in Deed Book _____ Page _____

Attestation by the Owner or the Soil Scientist for Authorization to Operate

I, Stephen B. Chambers hereby attest that all items indicated above have been provided
Print name of Owner or Soil Scientist
and the system meets applicable federal, State, and local laws, regulations, rules, and ordinances in accordance with G.S. 130A-336.1(e)(6).

	<u>Stephen B. Chambers</u>	<u>12/4/2023</u>
Signature of Owner or Soil Scientist		Date

NOTES:

LIABILITY: The Department, the Department's authorized agents, or local health departments shall have no liability for wastewater systems designed, constructed, and installed pursuant to an Engineer Option Permit [G.S. 130A-336.1(f)]


NC DEPARTMENT OF HEALTH AND HUMAN SERVICES • DIVISION OF PUBLIC HEALTH

LOCATION: 5605 SIX FORKS RD, RALEIGH NC 27609

MAILING ADDRESS: 1642 MAIL SERVICE CENTER, RALEIGH NC 27699-1642

www.ncdhhs.gov • TEL: 919-707-5874 • FAX: 919-845-3972

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER



Soil & Site Evaluation

System Design Sketch

Madison County, NC

Gary Goss
Easy Street / Hot Springs
18.68 Acres Pin: 8851319592
Tract 2 Systems A, B, & C

SOIL SCIENTIST OPTION PERMIT REPORT



"The LSS Evaluation is being submitted pursuant to and meets the requirements of S.L. 2020-97 Section 3.19 and GS130A-226.2"

1/1/2022 Chambers Soil Consulting, Inc.
NC LSS#1228

SYSTEM INSTALLATION NOTES: SYSTEMS A & B INSTALLED BY: SYSTEM INSTALLATION NOTES
Installed as designed by FINLEY HAROLD E FINLEY GRADING II 1831
1,000 gallon STB-882 septic tanks, 4-inch sch 40 to upper fields
Type II conventional gravel drainfields as flagged - serial
distribution with 4-inch solid corrugated flex crossover connections
> 100 feet to well sites