



Aerial Map



©2024 AgriData, Inc.

Boundary Center: 33° 24' 48.61, -90° 10' 22.77



23-18N-1E
Carroll County
Mississippi



Ag Land
Management
GROUP LLC

Maps Provided By:




© AgriData, Inc. 2023


www.AgriDataInc.com

2/7/2024

Soils Map



Soils data provided by USDA and NRCS.

State: **Mississippi**

County: **Leflore**

Location: **22-18N-1E**

Township: **District 5**

Acres: **2001.34**

Date: **2/7/2024**



Maps Provided By:



Area Symbol: MS015, Soil Area Version: 19												
Area Symbol: MS083, Soil Area Version: 20												
Code	Soil Description	Acres	Percent of field	NCCPI Overall Legend	Non-Irr Class *c	Corn Bu	Cotton lint Lbs	Grain sorghum Bu	Rice Bu	Rice Irrigated Bu	Soybeans Bu	*n NCCPI Overall
27	Sharkey clay, frequently flooded	260.69	13.0%		Vw							43
21	Dundee loam, 0 to 1 percent slopes	232.92	11.6%		IIw	85	750				40	86
3A	Dundee silt loam, 0 to 2 percent slopes	232.10	11.6%		IIw	85	750				40	84
2A	Dubbs silt loam, 0 to 2 percent slopes, rarely flooded	196.30	9.8%		Ile	90	850				40	87
4	Alligator clay, 0 to 1 percent slopes	169.03	8.4%		IIIw		600		7.5	130	35	49
23	Dowling muck	164.32	8.2%		VIIw							7
30	Tensas-Alligator complex, 0 to 3 percent slopes, occasionally flooded	135.99	6.8%		IVw						30	62
27	Tensas silty clay loam, 0 to 1 percent slopes	130.34	6.5%		IIIw		600			130	40	75
28	Tensas silty clay loam, 1 to 3 percent slopes	126.29	6.3%		IIIe		575				35	74
6	Alligator clay, depressional	109.99	5.5%		Vw							22
300	Sharkey clay, ponded	49.58	2.5%		Vw							19

Code	Soil Description	Acres	Percent of field	NCCPI Overall Legend	Non-Irr Class *c	Corn Bu	Cotton lint Lbs	Grain sorghum Bu	Rice Bu	Rice Irrigated Bu	Soybeans Bu	*n NCCPI Overall
7	Alligator, Tensas, and Dowling soils, frequently flooded	39.34	2.0%		Vw							37
20	Alligator silty clay	31.82	1.6%		IIIe		550		6		30	48
17	Dubbs loam, 1 to 3 percent slopes	30.34	1.5%		Ile	85	800				35	90
24	Forestdale silt loam	29.98	1.5%		IIIw	50	600			130	35	64
16	Dubbs loam, 0 to 1 percent slopes	28.41	1.4%		I	90	850				40	90
12	Askew silt loam, 1 to 3 percent slopes	25.49	1.3%		Ile	80	700	95			30	86
5	Alligator clay, 1 to 3 percent slopes	8.41	0.4%		IIIe		550		6		30	49
Weighted Average					3.47	32.9	436.8	1.2	0.8	21.4	25.6	*n 60.4


*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



Soils data provided by USDA and NRCS.



State: **Mississippi**
 County: **Leflore**
 Location: **22-18N-1E**
 Township: **District 5**
 Acres: **1104.26**
 Date: **2/7/2024**



Maps Provided By:
surety
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: MS015, Soil Area Version: 19
 Area Symbol: MS083, Soil Area Version: 20

Code	Soil Description	Acres	Percent of field	NCCPI Overall Legend	Non-Irr Class *c	Corn Bu	Cotton lint Lbs	Grain sorghum Bu	Rice Bu	Rice Irrigated Bu	Soybeans Bu	*n NCCPI Overall
21	Dundee loam, 0 to 1 percent slopes	219.87	19.9%		IIw	85	750				40	86
3A	Dundee silt loam, 0 to 2 percent slopes	165.75	15.0%		IIw	85	750				40	84
2A	Dubbs silt loam, 0 to 2 percent slopes, rarely flooded	137.67	12.5%		Ile	90	850				40	87
28	Tensas silty clay loam, 1 to 3 percent slopes	99.79	9.0%		IIIe		575				35	74
27	Tensas silty clay loam, 0 to 1 percent slopes	97.92	8.9%		IIIw		600			130	40	75
4	Alligator clay, 0 to 1 percent slopes	89.21	8.1%		IIIw		600		7.5	130	35	49
30	Tensas-Alligator complex, 0 to 3 percent slopes, occasionally flooded	74.55	6.8%		IVw						30	62
27	Sharkey clay, frequently flooded	70.25	6.4%		Vw							43
6	Alligator clay, depressional	43.85	4.0%		Vw							22
12	Askew silt loam, 1 to 3 percent slopes	24.13	2.2%		Ile	80	700	95			30	86
16	Dubbs loam, 0 to 1 percent slopes	23.99	2.2%		I	90	850				40	90


Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	NCCPI Overall Legend	Non-Irr Class *c	Corn Bu	Cotton lint Lbs	Grain sorghum Bu	Rice Bu	Rice Irrigated Bu	Soybeans Bu	*n NCCPI Overall
20	Alligator silty clay	21.53	1.9%		IIle		550		6		30	48
17	Dubbs loam, 1 to 3 percent slopes	18.86	1.7%		Ile	85	800				35	90
24	Forestdale silt loam	11.64	1.1%		IIIw	50	600			130	35	64
5	Alligator clay, 1 to 3 percent slopes	4.27	0.4%		IIle		550		6		30	49
7	Alligator, Tensas, and Dowling soils, frequently flooded	0.79	0.1%		Vw							37
23	Dowling muck	0.19	0.0%		VIIw							7
Weighted Average					2.72	46.6	588.1	2.1	0.7	23.4	33.7	*n 72.9

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Topography Hillshade



Source: USGS 3 meter dem

Interval(ft): 1


Min: 114.6

Max: 146.7

Range: 32.1

Average: 121.1

Standard Deviation: 2.07 ft



23-18N-1E
Carroll County
Mississippi

Boundary Center: 33° 24' 48.61, -90° 10' 22.77



Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com