09-01-2023



## APPROVED BY THE TEXAS REAL ESTATE COMMISSION (TREC)



## SELLER'S DISCLOSURE NOTICE

CONCERNING THE PROPERTY AT	1301 Hwy 569	Cisco				
·-	(Street Address a	and City)				
	NY INSPECTIONS OR WARRANTIES THE P	THE PROPERTY AS OF THE DATE SIGNED BY URCHASER MAY WISH TO OBTAIN. IT IS NOT A				
eller [] is [v] is not occupying the Property. If unoccupied, how long since Seller has occupied the Property?						
	The Property has the items checked below [Write Yes (Y), No (N), or Unknown (U)]:					
<u>Yes</u> Range	No_Oven	Microwave				
<u>de 5</u> Dishwasher	Ma Trash Compactor	Disposal				
<u>Lle 5</u> Washer/Dryer Hookups	<u>Ues</u> Window Screens	Rain Gutters				
No Security System	No Fire Detection Equipment	Intercom System				
	<u>Vo_</u> Smoke Detector					
	Mose Detector-Hearing Impaired					
	No Carbon Monoxide Alarm					
,	Mo Emergency Escape Ladder(s)					
<u>ℳ</u> TV Antenna	Cable TV Wiring	Satellite Dish				
Yes_Ceiling Fan(s)	Attic Fan(s)	Exhaust Fan(s)				
<u>465</u> Central A/C	<u>Yes</u> Central Heating	Wall/Window Air Conditioning				
Plumbing System	<u>Jes</u> Septic System	Public Sewer System				
Ma_ Patio/Decking	Outdoor Grill	Fences				
<i>₩</i> ∂ Pool	Sauna	Spa Hot Tub				
No Pool Equipment	No Pool Heater	Automatic Lawn Sprinkler System				
		Fireplace(s) & Chimney (Mock)				
<u>₩o</u> Natural Gas Lines		Gas Fixtures				
Gest Liquid Propane Gas:       LP Community (Captive)       LP on Property						
Fuel Gas Piping: Black Iron Pipe Corrugated Stainless Steel Tubing Copper						
Garage: No Attached Yes Carport						
Garage Door Opener(s):	nicContr	ol(s)				
Water Heater: <u>No</u> Gas	<u>Ges</u> Electr	ric				
Water Supply: City	WellMUD	<u>yes</u> Co-op				
Roof Type: Sixlales		_ Age: (approx.)				
Are you (Seller) aware of any of the above items that are not in working condition, that have known defects, or that are in need of repair? [ ] Yes [ ] No [ ] Unknown. If yes, then describe. (Attach additional sheets if necessary):						

TREC No. 55-0

Seller's Disclosure Notice Concerning t	he Property at	1301 Hwy 569 Cisco, TX 76437	Page 2	09-01-20
<b>3</b>		(Street Address and City)		
Does the property have working smoke 766, Health and Safety Code?* [ ] Ye (Attach additional sheets if necessary):	s [] No [] Unk	nown. If the answer to this	question is no or unknow	
		7		
Chapter 766 of the Health and Safety installed in accordance with the require including performance, location, and po effect in your area, you may check unk require a seller to install smoke detector will reside in the dwelling is hearing impaired a licensed physician; and (3) within 10 d smoke detectors for the hearing impaired the cost of installing the smoke detectors and	ments of the build wer source require nown above or cores for the hearing it paired; (2) the buye ays after the effection and specifies the	ing code in effect in the are ments. If you do not know tact your local building official mpaired if: (1) the buyer or a gives the seller written evidue date, the buyer makes a volcations for the installation.	ea in which the dwelling the building code required for more information. As a member of the buyer's ence of the hearing impaiswritten request for the selle	is located, rements in buyer may family who rment from er to install
Are you (Seller) aware of any known deferring if you are not aware.	ects/malfunctions in	any of the following? Write Ye	es (Y) if you are aware, w	rite No (N)
	Ceilings	3	✓ Floors	
Exterior Walls	Doors		Windows	
Noof	Founda	tion/Slab(s)	Sidewalks	
Walls/Fences	X/ Drivewa	ays	//_ Intercom Sy	stem
// Plumbing/Sewers/Septics	- /	al Systems	N_Lighting Fixt	ures
-1-7		•		
Other Structural Components (Describ	De):			
Other Structural Components (Descri	oe):			
Other Structural Components (Descri	oe):			
Other Structural Components (Described)  If the answer to any of the above is yes, expl				
If the answer to any of the above is yes, expl  Are you (Seller) aware of any of the following	ain. (Attach additiona	es (Y) if you are aware, write No	(N) if you are not aware.	
Are you (Seller) aware of any of the following Active Termites (includes wood destre	ain. (Attach additiona g conditions? Write Yo bying insects)	es (Y) if you are aware, write No	(N) if you are not aware.	
If the answer to any of the above is yes, expl  Are you (Seller) aware of any of the following	ain. (Attach additiona g conditions? Write Yo bying insects)	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was	(N) if you are not aware.	
Are you (Seller) aware of any of the following Active Termites (includes wood destre	ain. (Attach additiona g conditions? Write Yo bying insects)	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destre	ain. (Attach additiona g conditions? Write Yo bying insects)	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destre	ain. (Attach additiona g conditions? Write Yo bying insects)	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destrement)  Previous Termite Damage  Previous Termite Treatment	ain. (Attach additiona g conditions? Write Yo oying insects) ng Repair	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components  Urea-formaldehyde Insul	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destrement)  Previous Termite Damage  Previous Termite Treatment  Improper Drainage	ain. (Attach additional ain. (Attach additional ain. (Attach additional ain. (Attach additional ain.) ain. (Attach additional	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components  Urea-formaldehyde Insul	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destreted by Previous Termite Damage  Previous Termite Treatment  Improper Drainage  Water Damage Not Due to a Flood Extended by Previous Termite Treatment	ain. (Attach additional g conditions? Write You oying insects) ng Repair vent t Lines	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components  Urea-formaldehyde Insul  Radon Gas  Lead Based Paint	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destreed)  Termite or Wood Rot Damage Needing  Previous Termite Damage  Previous Termite Treatment  Improper Drainage  Water Damage Not Due to a Flood Experiment  Landfill, Settling, Soil Movement, Faul	ain. (Attach additional g conditions? Write You oying insects) ng Repair vent t Lines	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components  Urea-formaldehyde Insul  Radon Gas  Lead Based Paint  Aluminum Wiring	(N) if you are not aware. oof Repair te	
Are you (Seller) aware of any of the following  Active Termites (includes wood destreed)  Termite or Wood Rot Damage Needing  Previous Termite Damage  Previous Termite Treatment  Improper Drainage  Water Damage Not Due to a Flood Experiment  Landfill, Settling, Soil Movement, Faul	ain. (Attach additional g conditions? Write You oying insects) ng Repair vent t Lines	es (Y) if you are aware, write No  Previous Structural or Ro  Hazardous or Toxic Was  Asbestos Components  Urea-formaldehyde Insul  Radon Gas  Lead Based Paint  Aluminum Wiring  Previous Fires	(N) if you are not aware.  pof Repair te  ation	

Sallerle Dicalegure Natice Concerning the Property at	1301 Hwy 569 Cisco, TX 76437	09-01-2 Page 3
Seller's Disclosure Notice Concerning the Property at	(Street Address and City)	age o
Are you (Seller) aware of any item, equipment, or system in o No (if you are not aware). If yes, explain. (attach additional st		
Are you (Seller) aware of any of the following conditions?* Write	Yes (Y) if you are aware, write No (N) if you a	are not aware.
Present flood insurance coverage  Previous flooding due to a failure or breach of a reservoir	or a controlled or emergency release of water	r from a reservoir
Previous water penetration into a structure on the property		
Write Yes (Y) if you are aware, and check wholly or partly as app	licable, write No (N) if you are not aware.	
Located [_] wholly [_] partly in a 100-year floodplain (S	Special Flood Hazard Area-Zone A, V, A99, A	E, AO, AH, VE, or AR)
Located wholly partly in a 500-year floodplain (N	Noderate Flood Hazard Area-Zone X (shaded	))
Located [_] wholly [_] partly in a floodway		
Located [ ] wholly [ ] partly in a flood pool		
Located [_] wholly [_] partly in a reservoir		
If the answer to any of the above is yes, explain (attach additiona	I sheets if necessary):	
(A) is identified on the flood insurance rate mazone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding (C) may include a regulatory floodway, flood pool, or resistance in the map as Zone X (shaded); and (B) has a two-tenths of one percent annual charisk of flooding.  "Flood pool" means the area adjacent to a reservoir the reservoir and that is subject to controlled inundation under the maximum Engineers.  "Flood insurance rate map" means the most recent Management Agency under the National Flood Insurance Act of "Floodway" means an area that is identified on the flood insurance the channel of a river or other watercourse and the action of the flood insurance and the action of the flood insurance the channel of a river or other watercourse and the action of the flood insurance action o	which is considered to be a high risk eservoir.  as a moderate flood hazard area, which is considered to make the second of flooding, which is considered to make the second of the United States Army Corps of flood hazard map published by the Fed 1968 (42 U.S.C. Section 4001 et seq.) burance rate map as a regulatory floodway, whadjacent land areas that must be reserved.	of flooding; and  ch is designated  be a moderate  sting level of the  of  deral Emergency  sich  for the discharge
of a base flood, also referred to as a 100-year flood, without than a designated height.  "Reservoir" means a water impoundment project operate intended to retain water or delay the runoff of water in a designate	ed by the United States Army Corps of E	
Have you (Seller) ever filed a claim for flood damage to the proper Flood Insurance Program (NFIP)?* [ ] Yes [ ] No. If yes, expl	erty with any insurance provider, including the lain (attach additional sheets as necessary): _	National
*Homes in high risk flood zones with mortgages from flood insurance. Even when not required, the Federal Emhigh risk, moderate risk, and low risk flood zones to purch property within the structure(s).	ergency Management Agency (FEMA) er	icourages homeowners in
	e U.S. Small Business Administration (SBA	

TREC No. 55-0

	Seller's Disclosure Notice Concerning the Property at	1301 Hwy 569 Cisco, TX 76437 (Street Address and City)	09-01-2023 Page 4				
9.							
	Room additions, structural modifications, or other alteration compliance with building codes in effect at that time.	ions or repairs made without necessary	permits or not in				
	Homeowners' Association or maintenance fees or assessmen	ts.					
	Any "common area" (facilities such as pools, tennis courts with others.	s, walkways, or other areas) co-owned in	n undivided interest				
	Any notices of violations of deed restrictions or governmental expression of the property.	ordinances affecting the condition or use of	the				
	Any lawsuits directly or indirectly affecting the Property.						
	Any condition on the Property which materially affects the physical property which were property affects the physical property affects affects the physical property affects the physical property affects the physical property affects affects the physical prope	sical health or safety of an individual.					
	Any rainwater harvesting system located on the property the supply as an auxiliary water source.	hat is larger than 500 gallons and that ເ	uses a public water				
	Any portion of the property that is located in a groundwater col	nservation district or a subsidence district.					
	If the answer to any of the above is yes, explain. (Attach additional sh	neets if necessary):					
10.	If the property is located in a coastal area that is seaward of the high tide bordering the Gulf of Mexico, the property may be sul (Chapter 61 or 63, Natural Resources Code, respectively) and a maybe required for repairs or improvements. Contact the locadjacent to public beaches for more information.	oject to the Open Beaches Act or the D beachfront construction certificate or dun	une Protection Act e protection permit				
11.	This property may be located near a military installation and may zones or other operations. Information relating to high noise and Installation Compatible Use Zone Study or Joint Land Use Study the Internet website of the military installation and of the count located.	d compatible use zones is available in the prepared for a military installation and many	he most recent Air ay be accessed on				
	ed Charles Kitchens 4-23-2024  ature of Seller Date  Date	Carolyn Lavon Moore  Signature of Seller  Carolyn Lavon (Kitchens) Moore	5/24 Date				
AIII	onanes Michells	Carolyn Edvon (Intelletia) moore					
The undersigned purchaser hereby acknowledges receipt of the foregoing notice.							
			Dete				
Sign	ature of Purchaser Date	Signature of Purchaser	Date				



This form was prepared by the Texas Real Estate Commission in accordance with Texas Property Code § 5.008(b) and is to be used in conjunction with a contract for the sale of real property entered into on or after September 1, 2023. Texas Real Estate Commission, P.O. Box 12188, Austin, TX 78711-2188, 512-936-3000 (http://www.trec.texas.gov) TREC NO. 55-0. This form replaces OP-H.

TREC No. 55-0