STATE OF TEXAS WELL REPORT for Tracking #221677						
Owner:	Linda Bush	Owner Well #:	No Data			
Address:	236 Leuella Dr. Hurst, TX 76054	Grid #:	31-45-7			
Well Location:	No Data	Latitude:	32° 15' 29" N			
		Longitude:	098° 28' 57" W			
Well County:	Erath	Elevation:	1481 ft. above sea level			
Type of Work:	New Well	Proposed Use:	Domestic			

Drilling Start Date: 6/29/2010 Drilling End Date: 6/29/2010 Diameter (in.) Top Depth (ft.) Bottom Depth (ft.) Borehole: 0 7.875 290 Drilling Method: Air Rotary Borehole Completion: Filter Packed Top Depth (ft.) Bottom Depth (ft.) Filter Material Size Filter Pack Intervals: 15 290 Gravel 1/4 Top Depth (ft.) Bottom Depth (ft.) Description (number of sacks & material) Annular Seal Data: 0 3 1 portland 3 15 4 ben 150 160 2 ben Seal Method: Unknown Distance to Property Line (ft.): No Data Sealed By: Driller Distance to Septic Field or other concentrated contamination (ft.): No Data Distance to Septic Tank (ft.): No Data Method of Verification: No Data Surface Completion: Surface Sleeve Installed Water Level: 186 ft. below land surface on 2010-06-29 Measurement Method: Unknown Packers: No Data

Well Tests:

Type of Pump:

Well Report Tracking Number 221677 Submitted on: 7/1/2010

Yield: 60 GPM

No Data

Estimated

	Strata Depth (ft.)	Water Type			
Water Quality:	No Data	Data No Data			
	Chemical Analysis Made:		: No	No	
		ringly penetrate any strata which contained injurious constituents?			
Certification Data:	driller's direct supervision) correct. The driller unders	e driller drilled this well (or the w and that each and all of the sta stood that failure to complete the d for completion and resubmitta	tements he required in	erein are true and	
Company Information:	F&F Drilling				
	301 hwy 2921 De Leon, TX 76444				
Driller Name:	Jerry Fronterhouse	License	Number:	2317	
Comments:	No Data				

Top (ft.)	Bottom (ft.)	Description
0	11	clay
11	25	sand and rock
25	91	shale and rock
91	149	sand and rock
149	165	clay
165	211	sand
211	222	clay
222	280	sand
280	290	shale

Casing: BLANK PIPE & WELL SCREEN DATA

 Dia. (in.)
 New/Used
 Type
 Setting From/To (ft.)

 5 new plastic casing 0-250

5 new plastic slotted 250-290 .25

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REPORT for Tracking #22013					
Owner:	Linda Bush	Owner Well #:	# 2			
Address:	236 Louella Dr. W. Hurst, TX 76054	Grid #:	31-45-7			
Well Location:	No Data	Latitude:	32° 15' 32" N			
		Longitude:	098° 28' 48" W			
Well County:	Erath	Elevation:	1465 ft. above sea level			
Type of Work:	Now Woll	Drepend Lies	Dementia			
Type of Work.		Proposed Use:	Domestic			

Drilling Start Date: 5/22/2003 Drilling End Date: 5/22/2003

	Diameter	(in.)	Top Depth (ft	.) Bottom L	Depth (ft.)	
Borehole:	7.875	5	0	28	30	
Drilling Method:	Air Rotary					
Borehole Completion:	Filter Packed					
	Top Depth (ft.)	Bottom Depth (ft.)		Filter Material	Size	
Filter Pack Intervals:	15	280		Gravel		
	Top Depth (ft.)	Bottom Depth	n (ft.)	Description (number o	f sacks & material)	
Annular Seal Data:	0	4		1		
	4	15		3		
Seal Method: Pu	Imped		Distanc	e to Property Line (ft.)	: No Data	
Sealed By: Dr	iller			o Septic Field or other ted contamination (ft.)		
			Distar	nce to Septic Tank (ft.)	: No Data	
				Method of Verification	: No Data	
Surface Completion:	Surface Sleeve	Installed				
Water Level:	195 ft. below la	and surface on 2	003-05-22	Measurement Metho	d: Unknown	
Packers:	none					
Type of Pump:	No Data		5			
Well Tests:	Estimated Yield: 40 GPM					

	Strata Depth (ft.)	Water Type		
Water Quality:	No Data	No Data		
	Chemical Analysis Made: Did the driller knowingly penetrate any strata which contained injurious constituents?:		h	
Certification Data:	driller's direct supervi correct. The driller u	nat the driller drilled this well (or the vision) and that each and all of the st nderstood that failure to complete the turned for completion and resubmitt	atements he e required it	erein are true and
Company Information:	301 Hwy 2921			
Driller Name:	DeLeon, TX 76444 John Spencer		e Number:	54697
Comments:	No Data			0-001

Top (ft.)	Bottom (ft.)	Description
0	3	clay
3	12	caleache
12	14	sand
14	64	shale and rock
64	70	sand
70	105	shale and rock
105	225	sand
225	235	red clay
235	265	sand
265	280	shale

Casing: BLANK PIPE & WELL SCREEN DATA

Dia. (in.) New/Used Type Setting From/To (ft.) 5 new plastic slotted 220 to 280 1/8

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REPORT for Tracking #14515					
Owner:	Linda Bush	Owner Well #:	# 1			
Address:	236 Louella Dr. Hurst, TX 76054	Grid #:	31-45-7			
Well Location:	· · · · · · · · · · · · · · · · · · ·	Latitude:	32° 15' 33" N			
		Longitude:	098° 28' 52" W			
Well County:	Erath	Elevation:	No Data			
Type of Work:	New Well	Proposed Use:	Domestic			

Drilling Start Date: 11/20/2002 Drilling End Date: 11/20/2002

	Diameter	(in.)	Top Depth (ft.)	Bottom Dep	th (ft.)	
Borehole:	7.875	i	0			
Drilling Method:	Air Rotary					
Borehole Completion:	Filter Packed					
	Top Depth (ft.)	Bottom Depth (ft.) Fil		Filter Material		
Filter Pack Intervals:	15	290	Gra	avel		
	Top Depth (ft.)	Bottom Depth (ft.) Description (r		scription (number of sa	acks & material)	
Annular Seal Data:	0	15		4		
Seal Method: Pu	Imped		Distance to Pr	operty Line (ft.): N	lo Data	
Sealed By: Dr	iller		Distance to Sept concentrated co	ic Field or other ntamination (ft.):	No Data	
			Distance to S	Septic Tank (ft.): N	lo Data	
			Metho	d of Verification: N	lo Data	
Surface Completion:	Surface Sleeve	Installed				
Water Level:	190 ft. below la	and surface on 2	002-11-20 Meas	urement Method:	Unknown	
Packers:	none					
Type of Pump:	No Data					
Well Tests:	Estimated	Yield: 40	GPM			

	Strata Depth (ft.)	Water Type		
Water Quality:	No Data	No Data		
		Chemical Analysis Made:	No	
	Did the driller kno	wingly penetrate any strata which contained injurious constituents?:	No	
Certification Data:	The driller certified that t	he driller drilled this well (or the we	II was drill	ed under the
	correct. The driller unde	 n) and that each and all of the state rstood that failure to complete the ned for completion and resubmittal 	required it	rein are true and ems will result in
Company Information:	correct. The driller unde the report(s) being return	rstood that failure to complete the	required it	rein are true and ems will result in
Company Information:	correct. The driller unde the report(s) being return	rstood that failure to complete the	required it	rein are true and ems will result in
Company Information: Driller Name:	correct. The driller unde the report(s) being return F&F Drilling 301 Hwy 2921	rstood that failure to complete the	required it	rein are true and ems will result in 54697

Top (ft.)	Bottom (ft.)	Description
0	4	clay
4	16	sandy clay and rock
16	24	sand
24	98	shale and rock
98	103	sand
103	118	shale and rock
118	262	sand
262	270	red clay
270	275	rock and gravel
275	290	shale

Casing: BLANK PIPE & WELL SCREEN DATA

Setting From/To (ft.)

5 new plastic slotted 240 to 290 1/8

Dia. (in.) New/Used Type

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #286620						
Owner:	Linda Bush	Owner Well #:	No Data			
Address:	236 Louella Dr. Hurst, TX 76054	Grid #:	31-45-7			
Well Location:	No Data	Latitude:	32° 15' 38" N			
		Longitude:	098° 28' 58" W			
Well County:	Erath	Elevation:	1464 ft. above sea level			
Type of Work:	New Well	Proposed Use:	Irrigation			

Drilling Start Date: 4/26/2012	Drilling End Da	ate: 4/26/2012
Γ	Diameter (in.)	Top Depth (ft)

	Diameter (in.)		Top Depth	(ft.)	Bottom Dep	th (ft.)
Borehole:	9.625		0			
Drilling Method:	Air Rotary					
Borehole Completion:	Filter Packed					
	Top Depth (ft.)	Bottom Depth (ft.)	Filter Materia	1	Size
Filter Pack Intervals:	15	300		Gravel		1/2
	Top Depth (ft.)	Bottom Dep	th (ft.)	Descriptic	on (number of sa	cks & material)
Annular Seal Data:	0	3			1 portland	1
	3	15			12 ben	
Seal Method: Un	ıknown		Distan	ce to Propert	y Line (ft.): N	lo Data
Sealed By: Dr	iller			to Septic Fie ated contami		lo Data
			Dista	ance to Septio	c Tank (ft.): N	lo Data
				Method of V	/erification: N	o Data
Surface Completion:	Surface Sleeve	Installed				
Water Level:	195 ft. below land surface on 2012-04-26 Measurement Method: Unknown					Unknown
Packers:	No Data					
Type of Pump:	No Data					
Well Tests:	Estimated	Yield: 12	20 GPM			

	Strata Depth (ft.)	Water Type		
Water Quality:	No Data	No Data		
	Chemical Analysis Made:		No	
	Did the driller knowingly penetrate any strata which contained injurious constituents?:		Νο	
Certification Data:	driller's direct supervision) correct. The driller unders	e driller drilled this well (or the we) and that each and all of the state stood that failure to complete the ed for completion and resubmittal.	ements herein are true and required items will result in	
Certification Data: Company Information:	driller's direct supervision) correct. The driller unders the report(s) being returne) and that each and all of the state stood that failure to complete the	ements herein are true and required items will result in	
	driller's direct supervision) correct. The driller unders the report(s) being returne) and that each and all of the state stood that failure to complete the	ements herein are true and required items will result in	
	driller's direct supervision correct. The driller unders the report(s) being returner F&F Drilling 301 Hwy 2921) and that each and all of the state stood that failure to complete the	ements herein are true and required items will result in	
Company Information:	driller's direct supervision correct. The driller unders the report(s) being returner F&F Drilling 301 Hwy 2921 DeLeon, TX 76444) and that each and all of the state stood that failure to complete the ed for completion and resubmittal. License N	ements herein are true and required items will result in	

Top (ft.) Bottom (ft.) Description 0 8 sandy clay 8 12 sand 12 71 clay and rock 71 77 sandstone 77 114 rock and shale 114 145 sand 145 160 shale 160 205 sand 205 248 sand and gravel 248 250 rock 250 255 red clay 255 272 sand 284 272 sand and shale 300 284 shale and rock

Casing: BLANK PIPE & WELL SCREEN DATA

Dia. (in.)	New/Used	Туре	Setting From/To (ft.)	
6 1/4" n	ew plasti	c casir	ng 0/200	
6 1/4" n	ew plasti	c slotte	ed 200/300 0.125	

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REP	ORT for Trac	king #275461
Owner:	Linda Bush	Owner Well #:	No Data
Address:	236 Louella Dr. Hurst, TX 76054	Grid #:	31-45-7
Well Location:		Latitude:	32° 15' 38" N
		Longitude:	098° 28' 47" W
Well County:	Erath	Elevation:	1549 ft. above sea level
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Start Date: 12/22/2011 Drilling End Date: 12/22/2011

	Diameter	(in.)	Top Depth	n (ft.)	Bottom Dept	'h (ft.)
Borehole:	7.875		0		280	
Drilling Method:	Air Rotary					
Borehole Completion:	Filter Packed					
	Top Depth (ft.)	Bottom Depth (ft	t.)	Filter Ma	terial	Size
Filter Pack Intervals:	15	280		Grav	rel	1/4
	Top Depth (ft.)	Bottom Dep	oth (ft.)	Desc	cription (number of sa	cks & material)
Annular Seal Data:	0	3			1 portland	ł
	3	15			3 ben	
Seal Method: Ur	ıknown		Dista	nce to Pro	perty Line (ft.): N	o Data
Sealed By: Dr	iller				Field or other amination (ft.):	lo Data
			Dist	ance to Se	eptic Tank (ft.): N	o Data
				Method	of Verification: N	o Data
Surface Completion:	Surface Sleeve	Installed				
Water Level:	184 ft. below la	and surface on	2011-12-22	Measu	rement Method:	Unknown
Packers:	No Data					
Type of Pump:	No Data		$\overline{)}$			
Well Tests:	Estimated	Yield: 5	0 GPM			
	(

	Strata Depth (ft.)	Water Type			
Water Quality:	No Data	No Data			
	Chemical Analysis Made:		No	No	
	Did the driller knowingly penetrate any strata which contained injurious constituents?:		No	Νο	
Certification Data:	driller's direct supervision) correct. The driller unders	e driller drilled this well (or the we) and that each and all of the stat stood that failure to complete the ed for completion and resubmittal	ements her required ite	ein are true and	
Certification Data: Company Information:	driller's direct supervision) correct. The driller unders the report(s) being returne) and that each and all of the stat stood that failure to complete the	ements her required ite	ein are true and	
	driller's direct supervision) correct. The driller unders the report(s) being returne) and that each and all of the stat stood that failure to complete the	ements her required ite	ein are true and	
	driller's direct supervision) correct. The driller unders the report(s) being returne F&F Drilling 301 Hwy 2921) and that each and all of the stat stood that failure to complete the	ements her required ite	ein are true and	
Company Information:	driller's direct supervision) correct. The driller unders the report(s) being returne F&F Drilling 301 Hwy 2921 DeLeon, TX 76444) and that each and all of the stat stood that failure to complete the ed for completion and resubmittal License	ements her required ite	ein are true and ems will result in 2317	

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0	5	clay	5" new plastic casing 0/220
5	40	rock and clay	5" new plastic slotted 220/240 0.25
40	45	sand	5" new plastic casing 240/260
45	55	rock and clay	5" new plastic slotted 260/280 0.25
55	65	sand	
65	74	rock and clay	
74	77	sand	
77	81	clay and rock	
81	140	sand	
140	154	clay and sand	
154	195	sand	
195	221	gravel and sand	
221	260	sand	
260	280	shale	

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REP	ORT for Trac	king #243509
Owner:	Linda Bush	Owner Well #:	No Data
Address:	236 Iouella Dr. Hurst, TX 76054	Grid #:	31-45-7
Well Location:	No Data	Latitude:	32° 15' 42" N
		Longitude:	098° 28' 50" W
Well County:	Erath	Elevation:	1467 ft. above sea level
Type of Work:	New Well	Proposed Use:	Irrigation

Drilling Start Date: 1/3/2011 Drilling End Date: 1/3/2011 Diameter (in.) Top Depth (ft.) Bottom Depth (ft.) Borehole: 9.625 0 283 Drilling Method: Air Rotary **Filter Packed** Borehole Completion: Top Depth (ft.) Bottom Depth (ft.) Filter Material Size Filter Pack Intervals: 15 283 Gravel 1/4 Top Depth (ft.) Bottom Depth (ft.) Description (number of sacks & material) Annular Seal Data: 0 3 2 portland 3 15 10 hole plug Seal Method: Unknown Distance to Property Line (ft.): No Data Sealed By: Driller Distance to Septic Field or other concentrated contamination (ft.): No Data Distance to Septic Tank (ft.): No Data Method of Verification: No Data Surface Completion: **Surface Sleeve Installed** Water Level: 179 ft. below land surface on 2011-01-03 Measurement Method: Unknown Packers: No Data Type of Pump: No Data Well Tests: Yield: 100 GPM Estimated

	Strata Depth (ft.)	Water Type		
Water Quality:	No Data	No Data		
	Chemical Analysis Made:			
	Did the driller kr	nowingly penetrate any strata which contained injurious constituents?:	No	
Certification Data:	driller's direct supervisi correct. The driller und	t the driller drilled this well (or the we on) and that each and all of the stat lerstood that failure to complete the rned for completion and resubmittal	ements he required it	rein are true and
Company Information:	F&F Drilling			
	301 HWY 2921 De Leon, TX 76444			
	De Leon, 1X 70444			
Driller Name:	Jerry Fronterhouse	License	Number:	2317

Dia.

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	2	clay
2	15	caleache
15	33	clay
33	165	sand and clay
165	188	sand and gravel
188	225	sand
225	238	sand and gravel
238	248	sand
248	268	clay and rock
268	283	shale

Casing:
BLANK PIPE & WELL SCREEN DATA

(in.)	New/Used	Туре	Setting From/To (ft.)

6 1/4" new plastic casing 0-203

6 1/4" new plastic slotted casing 203-283 .30

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REPORT for Tracking #71695					
Owner:	linda bush	Owner Well #:	No Data			
Address:	236 lawella dr hurst, TX 76054	Grid #:	31-45-7			
Well Location:	hwy 8	Latitude:	32° 15' 51" N			
	тх	Longitude:	098° 29' 00" W			
Well County:	Erath	Elevation:	1428 ft. above sea level			
Type of Work:	New Well	Proposed Use:	Domestic			

Drilling Start Date: 11/17/2005 Drilling End Date: 11/17/2005

	Diameter	· (in.)	Top Dep	th (ft.)	Bottom Depth	h (ft.)	
Borehole:	7.87	5	0		270		
Drilling Method: Air Rotary							
Borehole Completion:	Filter Packed	9					
	Top Depth (ft.)	Bottom Depth	n (ft.)	Filter Ma	aterial	Size	
ilter Pack Intervals:	15	270		Grav	/el	3/8	
	Top Depth (ft.) Bottom		om Depth (ft.) Descri		ription (number of sacks & material)		
Annular Seal Data:	0		3		1 portland	and	
	3		15		8 ben		
Surface Completion:	Surface Sleeve	e Installed		stance to S	amination (ft.): No eptic Tank (ft.): No of Verification: No	o Data	
Water Level:	183 ft. below l	and surface of	on 2005-11- 1	7 Measu	rement Method:	Unknown	
Packers:	No Data						
Type of Pump:	Submersible	/		Pum	p Depth (ft.): 260	0	
Well Tests:	Estimated	Yield	50 GPM				

		a fan a fan a san a s			
	Strata Depth (ft.) Water Type				
Water Quality:	No Data	No Data			
	Chemical Analysis Made:		No	Νο	
	Dia the anilier ki	nowingly penetrate any strata which contained injurious constituents?:	No		
Certification Data:	The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.				
Company Information:	f & f drilling 301 hwy 2921 deleon, TX 76444				
Driller Name:	jerry fronterhouse	License N	lumber:	2317	
Comments:	No Data				

Dia. (in.) Ne	Description	Bottom (ft.)	Top (ft.)
5 new plas	shale and rock	61	0
5 new plas	sand	70	61
	shale and rock	83	70
	sand and rock	181	83
	sand and gravel	210	181
	sand	255	210
	red clay	261	255
	shale	270	261

Casing: BLANK PIPE & WELL SCREEN DATA

Dia. (in.) New/Used Type Setting From/To (ft.) 5 new plastic casing 0 to 230 5 new plastic slotted 230 to 270 1/8

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

	STATE OF TEXAS WELL REPORT for Tracking #238684				
Owner:	Lynda Bush	Owner Well #:	No Data		
Address:	No Data	Grid #:	31-45-7		
Well Location:	No Data	Latitude:	32° 15' 56" N		
		Longitude:	098° 28' 53" W		
Well County:	Erath	Elevation:	1506 ft. above sea level		
Type of Work:	New Well	Proposed Use:	Irrigation		
		11000300 036.	ingation		

Drilling Start Date: 11/20/2010 Drilling End Date: 11/20/2010

	Diameter	(in.)	Top De	pth (ft.)	Bottom Dept	th (ft.)	
Borehole:	9.625		0		283		
Drilling Method:	Air Rotary						
Borehole Completion:	ehole Completion: Filter Packed						
	Top Depth (ft.)	Bottom Depth	(ft.)	Filter Ma	aterial	Size	
Filter Pack Intervals:	15	283		Grav	/el	1/2	
	Top Depth (ft.)) Bottom Depth (ft.)		Description (number of sacks & mater		cks & material)	
Annular Seal Data:	0	3		i Portland			
	3	1	5	9 BE		N	
Seal Method: Un	known		Dis	stance to Pro	perty Line (ft.): N	o Data	
Sealed By: Dr	iller				Field or other tamination (ft.): N	lo Data	
			Distance to Septic Tank (ft.): No Data				
				Method	of Verification: N	o Data	
Surface Completion:	Surface Sleeve	Installed					
Water Level:	162 ft. below la	and surface o	n 2010-11 -	20 Measu	rement Method:	Unknown	
Packers:	No Data						
Type of Pump:	No Data						
Well Tests:	Well Tests: Estimated Yield: 150 GPM						

_

	Strata Depth (ft.)	Water Type		
Water Quality:	No Data	No Data		
		Chemical Analysis Made:	Νο	
	Did the driller kr	nowingly penetrate any strata which contained injurious constituents?:	No	
Certification Data:	Data: The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.			
Company Information:	F&F Drilling			
	301 HWY 2921 DeLeon, TX 76444			
Driller Name:	Jerry Fronterhouse	License N	umber:	2317
Comments:	No Data			

Top (ft.)	Bottom (ft.)	Description
0	1	clay
1	57	shale and rock
57	60	sand
60	80	shale and lime stone
80	135	sand
135	148	clay
148	185	sand
185	199	sand and gravel
199	248	sand
248	250	clay
250	264	sand and gravel
264	283	shale and rock

Casing: BLANK PIPE & WELL SCREEN DATA

Setting From/To (ft.)

6 1/4 New Plastic Casing 0-183

Dia. (in.) New/Used Type

6 1/4 New Plastic Slotted 183-283 1/8

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.