





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code    | Description  | Acres | % of<br>field | IA<br>CSR2 | Overall<br>NCCPI | Soil Class<br>(Irr) | Soil Class<br>(Non-Irr) | Drainage Class             |
|---------|--|-------|---------------|------------|------------------|---------------------|-------------------------|----------------------------|
| Y11B    | Colo, occasionally flooded-Ely silty clay loams, dissected till plain, 2 to 5 percent slopes | 15.15 | 18.83 %       | 80         | 86               | -                   | 2                       | Poorly drained             |
| 185E2 📕 | Bauer silt loam, 14 to 18 percent slopes, moderately eroded                                  | 14.80 | 18.39 %       | 5          | 34               | -                   | 7                       | Moderately well<br>drained |
| 185D2 📕 | Bauer silt loam, 9 to 14 percent slopes, moderately eroded                                   | 14.05 | 17.46 %       | 13         | 36               | -                   | 6                       | Moderately well<br>drained |
| 370C2 📃 | Sharpsburg silty clay loam, 5 to 9 percent slopes, eroded                                    | 12.71 | 15.79 %       | 80         | 82               | -                   | 3                       | Moderately well<br>drained |
| 54      | Zook silty clay loam, 0 to 2 percent slopes, occasionally flooded                            | 7.54  | 9.37 %        | 67         | 64               | -                   | 2                       | Poorly drained             |
| Y24D2 📙 | Shelby clay loam, dissected till plain, 9 to 14 percent slopes, eroded                       | 6.94  | 8.62 %        | 49         | 74               | -                   | 3                       | Well drained               |
| 370D2 🗌 | Sharpsburg silty clay loam, 9 to 14 percent slopes, eroded                                   | 3.93  | 4.88 %        | 54         | 78               | -                   | 3                       | Moderately well<br>drained |
| 430     | Ackmore silt loam, 0 to 2 percent slopes, occasionally flooded                               | 3.76  | 4.67 %        | 77         | 91               | -                   | 2                       | Somewhat poorly<br>drained |
| 370B 📃  | Sharpsburg silty clay loam, 2 to 5 percent slopes  | 1.59  | 1.98 %        | 91         | 91               | -                   | 2                       | Moderately well<br>drained |
|         |  |       | Average:      | 49.4       | 63.9             |                     |                         |                            |

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.