





Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
54+	Zook silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded, overwash	32.25	33.25 %	68	73	-	2	Poorly drained
220	Nodaway silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded	19.53	20.13 %	77	86	-	2	Moderately well drained
715	Nodaway-Lawson-Klum complex, 0 to 3 percent slopes, occasionally flooded	19.17	19.76 %	68	89	-	2	Moderately well drained
269	Humeston silt loam, 0 to 2 percent slopes, occasionally flooded	10.69	11.02 %	70	90	-	3	Poorly drained
51B	Vesser silt loam, 2 to 5 percent slopes, rarely flooded	8.08	8.33 %	75	94	-	2	Poorly drained
56C	Cantril loam, 5 to 9 percent slopes	5.26	5.42 %	76	92	-	3	Somewhat poorly drained
65F2	Lindley clay loam, 18 to 25 percent slopes, moderately eroded	1.77	1.82 %	11	50	-	7	Well drained
994E2	Douds-Galland complex, 9 to 18 percent slopes, moderately eroded	0.22	0.23 %	24	68	-	6	Moderately well drained
425D	Keswick loam, 9 to 14 percent slopes	0.05	0.05 %	8	62	-	4	Somewhat poorly drained
	Average:							

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.