

## Soils Map





State: **lowa** County: **Page** 

 Location:
 26-70N-38W

 Township:
 Fremont

 Acres:
 57.58

 Date:
 10/28/2024







Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	CSR	*n NCCPI Soybeans
Z8B	Judson silty clay loam, deep loess, 2 to 5 percent slopes	20.51	35.6%		lle	0.0	0.0	92		80
99D2	Exira silty clay loam, 9 to 14 percent slopes, eroded	9.44	16.4%		Ille	177.6	51.5	59	55	64
133+	Colo silt loam, deep loess, 0 to 2 percent slopes, overwash, occasionally flooded	6.23	10.8%		llw	204.8	59.4	78	85	85
99D	Exira silty clay loam, 9 to 14 percent slopes	5.51	9.6%		Ille	177.6	51.5	62	58	74
133	Colo silty clay loam, deep loess, 0 to 2 percent slopes, occasionally flooded	5.45	9.5%		llw	204.8	59.4	78	80	80
9C2	Marshall silty clay loam, 5 to 9 percent slopes, eroded	4.69	8.1%		IIIe	211.2	61.2	87	68	70
99C	Exira silty clay loam, 5 to 9 percent slopes	2.20	3.8%		Ille	216.0	62.6	90	67	81
Z192D2	Adair clay loam, deep loess, 9 to 14 percent slopes, eroded	2.14	3.7%		IVe	0.0	0.0	14		45
11B	Colo-Judson silty clay loams, 0 to 5 percent slopes, occasionally flooded	1.31	2.3%		llw	216.0	62.6	80	65	81
9B	Marshall silty clay loam, 2 to 5 percent slopes	0.10	0.2%		lle	232.0	67.3	95	85	77
	1	Weigh	ted Average	2.45	118.4	34.3	77.2	*-	*n 75.3	

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.

<sup>\*-</sup> CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

<sup>\*</sup>n: The aggregation method is "Weighted Average using all components"

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method