



Boundary

|  All Polygons 211.51 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
Fr	Frioton silty clay loam, occasionally flooded	128.18	60.61	0	67	2w
WwD2	Whitewright-Howe complex, 5 to 12 percent slopes, eroded	75.19	35.55	0	20	6e
LeB	Leson clay, 1 to 3 percent slopes	8.14	3.85	0	44	2e
TOTALS		211.51(*)	100%	-	49.41	3.42

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 208.3 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
Fr	Frioton silty clay loam, occasionally flooded	126.45	60.71	0	67	2w
WwD2	Whitewright-Howe complex, 5 to 12 percent slopes, eroded	73.71	35.39	0	20	6e
LeB	Leson clay, 1 to 3 percent slopes	8.14	3.91	0	44	2e
TOTALS		208.3(*)	100%	-	49.47	3.42

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

|  Boundary 3.21 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
Fr	Frioton silty clay loam, occasionally flooded	1.73	54.06	0	67	2w
WwD2	Whitewright-Howe complex, 5 to 12 percent slopes, eroded	1.48	46.25	0	20	6e
TOTALS		3.21(*)	100%	-	45.47	3.84

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water