WATER WELL LOGS LABELED PER TRACT KIMBLE CO, TX 2018

Oak Hills Ranch – Auction Tract #1 Existing Water Well Information

This water well was drilled well before the Kimble County Groundwater District was created. It has an electric submersible pump that produces 1 to 2 GPM and is hooked up to a +/- 2,500 gallon poly storage tank. It has been used to water a previous hunting camp and livestock and wildlife water for the past 40+ years. The water quality from the Edwards aquifer is excellent.

The windmill over the well is purely cosmetic at this time. However, it is highly collectable and was originally purchased from the Chas Schreiner Company in Kerrville, TX. The seller estimates the windmill is worth at least \$6,000. A local ranch realtor tells the seller it is so old, it was likely delivered to where it is by a wagon, not a truck.

STATE OF TEXAS WELL REPORT for Tracking #687659

Owner: KIMBLE 2450 LLC WELL #7 Owner Well #: No Data

Address: 2909 SHERWOOD WAY STE300 Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140 Latitude: 30° 25' 46" N

WELL # 7-2025 Longitude: 099° 55' 14" W JUNCTION, TX 78631

Well County: Kimble Elevation: No Data

Type of Work: **New Well** Proposed Use: **Stock**

Drilling Start Date: 1/25/2025 Drilling End Date: 1/25/2025

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 225

Drilling Method: Air Hammer

Top Depth (ft.)

Borehole Completion: Open Hole

Annular Seal Data: 0 5 Cement 3 Bags/Sacks
5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **500+**

Bottom Depth (ft.)

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: ESTIMATED

Description (number of sacks & material)

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 130 ft. below land surface on 2025-01-25 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 6 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

130 - 200 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	130	SOLID LIMESTONE
130	200	LIMESTONE WITH FRACTURES
200	225	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	165
4.5	Perforated or Slotted	New Plastic (PVC)	40	165	225

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #687505

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140

Latitude: 30° 26' 12.07" N

WELL # 2-2025 Longitude: 099° 55' 19.15" W
JUNCTION, TX 76849

Well County: Kimble Elevation: No Data

Type of Work: **New Well** Proposed Use: **Stock**

Drilling Start Date: 1/20/2025 Drilling End Date: 1/20/2025

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.)

Borehole: 8 0 305

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **500+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Distance to Septic Tank (it.). IVA

Method of Verification: ESTIMATED

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 254 ft. below land surface on 2025-01-20 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 1.5 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

200 - 285 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	200	SOLID LIMESTONE
200	285	LIMESTONE WITH FRACTURES
285	305	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	245
4.5	Perforated or Slotted	New Plastic (PVC)	40	245	305

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #675684

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY STE300 Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140

WELL #3

JUNCTION, TX 78631

Latitude:

30° 26' 02.97" N

Longitude: 099° 55' 45.82" W

Stock

Bottom Depth (ft.)

335

Description (number of sacks & material)

Cement 3 Bags/Sacks

Elevation: No Data

Proposed Use:

Top Depth (ft.)

Well County: Kimble

Type of Work: New Well

Drilling Start Date: 6/19/2024 Drilling End Date: 6/19/2024

Top Depth (ft.)

Borehole: 8 0

Diameter (in.)

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Seal Method: Gravity

Annular Seal Data:

5 25 Bentonite 5

Bottom Depth (ft.)

5

Sealed By: Driller Distance to Septic Field or other

concentrated contamination (ft.): N/A

Distance to Septic Tank (ft.): N/A

Distance to Property Line (ft.): 100+

Method of Verification: ESTIMATED

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 206 ft. below land surface on 2024-06-19 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 2 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

206 - 300 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: Will Pickens License Number: 54996

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	170	SOLID LIMESTONE
170	300	LIMESTONE WITH FRACTURES
300	335	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	275
4.5	Perforated or Slotted	New Plastic (PVC)	40	275	335

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #687506

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140 Latitude: 30° 25' 51.45" N

WELL # 3-2025 Longitude: 099° 55' 32.45" W

Well County: Kimble Elevation: No Data

Type of Work: **New Well** Proposed Use: **Stock**

Drilling Start Date: 1/15/2025 Drilling End Date: 1/15/2025

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.)

Borehole: 8 0 300

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **1500+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: **ESTIMATED**

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 225 ft. below land surface on 2025-01-15 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 2 GPM with 0 ft. drawdown after 1 hours

Water Quality:

Strata Depth (ft.)

Water Type

EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	185	SOLID LIMESTONE
185	285	LIMESTONE WITH FRACTURES
285	300	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	240
4.5	Perforated or Slotted	New Plastic (PVC)	40	240	300

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #676330

Owner: KIMBLE 2450 LLC Owner Well #: KCGCD #4

Address: 2909 SHERWOOD WAY, SUITE 300 Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: N/A

JUNCTION, TX 76849 Longitude: 099° 56' 00.42" W

Elevation:

3.3 MILES DOWN KC 140, TURN LEFT ON TO A RANCH ROAD, STAY LEFT,

2 MILES ON LEFT

Well County: Kimble

Type of Work: New Well Proposed Use: Stock

Drilling Start Date: 6/11/2024 Drilling End Date: 6/13/2024

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 300

Drilling Method: Air Rotary

Borehole Completion: Straight Wall

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 1 Bags/Sacks

4 12 Bentonite 2 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **No Data**

Sealed By: **Driller** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

30° 25' 47.17" N

2169 ft. above sea level

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 248 ft. below land surface on 2024-06-13

Packers: Rubber at 12 ft.

Type of Pump: Submersible

Well Tests: Bailer Yield: 2 GPM

Water Quality:

Strata Depth (ft.)

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Allison Well Service

191 Allison Road Junction, TX 76849

Driller Name: William D. Allison License Number: 61317

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	DIRT
1	12	WHITE LIMESTONE
12	16	CALICHE
16	21	FLINT
21	28	YELLOW LIMESTONE
28	260	WHITE LIMESTON W/ FLINT
260	300	GRAY LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625		New Steel		-1	3
4.5	Blank	New Plastic (PVC)		-1	260
4.5	Perforated or Slotted	New Plastic (PVC)		260	300

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #675685

Latitude:

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140

WELL #5

HARPER. TX 78631

Longitude: 099° 56' 37.15" W

Elevation: 2182 ft. above sea level

30° 25' 47.71" N

Well County: Kimble

Type of Work: New Well Proposed Use: Stock

Drilling Start Date: 6/20/2024 Drilling End Date: 6/20/2024

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 325

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **150+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: ESTIMATED

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 220 ft. below land surface on 2024-06-20 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 1.5 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

220 - 300 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	165	SOLID LIMESTONE
165	300	LIMESTONE WITH FRACTURES
300	325	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	265
4.5	Perforated or Slotted	New Plastic (PVC)	40	265	325

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #687510

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY STE 300 Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140

WELL # 5-2025

JUNCTION, TX 78631

Latitude:

30° 25' 37.79" N

Longitude: 099° 56' 59.87" W

Elevation: No Data

Well County: Kimble

Type of Work: New Well Proposed Use: Stock

Drilling Start Date: 1/10/2025 Drilling End Date: 1/10/2025

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 325

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **500+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: **ESTIMATED**

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 215 ft. below land surface on 2025-01-10 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 2 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

200 - 300 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	200	SOLID LIMESTONE
200	300	LIMESTONE WITH FRACTURES
300	325	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	265
4.5	Perforated or Slotted	New Plastic (PVC)	40	265	325

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

STATE OF TEXAS WELL REPORT for Tracking #687661

Owner: KIMBLE 2450 LLC WELL-#8 Owner Well #: No Data

Address: 2909 SHERWOOD WAY STE300 Grid #: 56-33-5

SAN ANGELO, TX 76901

Well Location: END OF CR 140

WELL# 8-2025 Longitude: 099° 56' 31" W JUNCTION, TX 78631

Well County: Kimble Elevation: No Data

Type of Work: **New Well** Proposed Use: **Stock**

Drilling Start Date: 1/27/2025 Drilling End Date: 1/27/2025

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 300

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **500+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: **ESTIMATED**

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 215 ft. below land surface on 2025-01-27 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 4 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

200 - 285 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	170	SOLID LIMESTONE
170	185	LIMESTONE WITH FRACTURES
185	300	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	240
4.5	Perforated or Slotted	New Plastic (PVC)	40	240	300

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

Page 2 of 2

Oak Hills Ranch – Auction Tract #10 Existing Water Well Information

This water well was drilled well before the Kimble County Groundwater District was created. It has an electric submersible pump that produces 1 to 2 GPM and fills an old rock masonry storage tank. It has been used to water a livestock and wildlife water for the past 40+ years. The water quality from the Edwards aquifer is excellent.

There is an old wooden stand windmill with a galvanized fan and motor laying on the ground near the well. It is not operational but could be reassembled for a storytelling piece or sold to a collector.

Buyers, please note there is an additional modern drilled well on Tract #10 in addition to this older well described above.

STATE OF TEXAS WELL REPORT for Tracking #687508

Owner: KIMBLE 2450 LLC WELL Owner Well #: No Data

Address: 2909 SHERWOOD WAY STE 300 Grid #: 56-33-8

SAN ANGELO, TX 76901

Well Location: END OF CR 140 Latitude: 30° 24' 52.07" N

WELL # 4-2025 Longitude: 099° 56' 01.18" W JUNCTION, TX 78631

Well County: Kimble Elevation: No Data

Type of Work: New Well Proposed Use: Stock

Drilling Start Date: 1/8/2025 Drilling End Date: 1/8/2025

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 225

Drilling Method: Air Hammer

Borehole Completion: Open Hole

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 3 Bags/Sacks

5 25 Bentonite 5

Seal Method: **Gravity** Distance to Property Line (ft.): **500+**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **N/A**

Distance to Septic Tank (ft.): N/A

Method of Verification: **ESTIMATED**

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 120 ft. below land surface on 2025-01-08 Measurement Method: Sonic/Radar

Packers: Burlap at 25 ft.

Type of Pump: No Data

Well Tests: Pump Yield: 3 GPM with 0 ft. drawdown after 1 hours

Water Quality: Strata Depth (ft.) Water Type

115 - 200 EDWARDS

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: PICKENS DRILLING CO.

P.O. BOX 543

HARPER, TX 78631

Driller Name: WILL PICKENS License Number: 54996

Apprentice Name: GARRET TODD Apprentice Number: 61532

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOPSOIL
1	10	CALICHIE AND LIMESTONE
10	115	SOLID LIMESTONE
115	200	LIMESTONE WITH FRACTURES
200	225	SOLID LIMESTONE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
8.625	Riser	New Steel		2	2
4.5	Blank	New Plastic (PVC)	40	2	165
4.5	Perforated or Slotted	New Plastic (PVC)	40	165	225

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.