



County: Warren County, IA Location: 09-74N-24W

Township: Squaw Acres: 39.22

Date: 06/30/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
133	Colo silty clay loam, deep loess, 0 to 2 percent slopes, occasionally flooded	5.22	13.31 %	78	81	-	2	Poorly drained
430	Ackmore silt loam, 0 to 2 percent slopes, occasionally flooded	5.18	13.21 %	77	91	-	2	Somewhat poorly drained
792D2	Armstrong loam, 9 to 14 percent slopes, moderately eroded	4.65	11.86 %	7	67	-	4	Somewhat poorly drained
76C2	Ladoga silt loam, dissected till plain, 5 to 9 percent slopes, eroded	3.05	7.78 %	75	77	-	3	Moderately well drained
1820	Dockery-Quiver silt loams, 0 to 2 percent slopes, occasionally flooded	2.54	6.48 %	87	94	-	2	Somewhat poorly drained
T370C2	Sharpsburg silty clay loam, terrace, 5 to 9 percent slopes, eroded	2.21	5.64 %	79	82	-	3	Moderately well drained
Y179F2	Gara loam, dissected till plain, 18 to 25 percent slopes, eroded	1.77	4.51 %	16	55	-	7	Well drained
273C	Olmitz loam, 5 to 9 percent slopes	1.41	3.60 %	85	96	-	3	Moderately well drained
94D2	Mystic-Caleb complex, 9 to 14 percent slopes, moderately eroded	1.16	2.96 %	25	75	-	4	Somewhat poorly drained
592D2	Mystic silt loam, 9 to 14 percent slopes, moderately eroded	1.08	2.75 %	6	72	-	4	Somewhat poorly drained

Cod	de	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
W		Water	0.47	1.20 %	0	0	-	-	-
Y11B		Colo, occasionally flooded-Ely silty clay loams, dissected till plain, 2 to 5 percent slopes	0.32	0.82 %	80	86	-	2	Poorly drained
Y212		Kennebec silt loam, 0 to 2 percent slopes, occasionally flooded	0.08	0.20 %	91	96	-	1	Moderately well drained
	Average					76.5			

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.