
Vineyard Ranch

Texas, AC +/-





| Boundary 1489.4 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
Br	Brazoria clay, 0 to 1 percent slopes, rarely flooded	357.1 2	23.98	0	38	2w
Cn	Clemville silty clay loam, 0 to 1 percent slopes, occasionally flooded	281.2 1	18.88	0	55	2w
Cm	Clemville silty clay loam, 0 to 1 percent slopes, occasionally flooded	173.6 5	11.66	0	55	2w
LaA	Laewest clay, 0 to 1 percent slopes	157.6 6	10.59	0	53	2s
LcA	Lake Charles clay, 0 to 1 percent slopes	102.1	6.86	0	36	3s
Me	Brazoria clay, 0 to 1 percent slopes, rarely flooded	90.49	6.08	0	38	2w
LoA	Laewest silty clay, overwashed, 0 to 1 percent slopes	87	5.84	0	53	2s
BeA	Bernard-Edna complex, 0 to 1 percent slopes	71.59	4.81	0	41	3s
EdA	Edna loam, 0 to 1 percent slopes	55.59	3.73	0	37	3w
DaA	Dacosta sandy clay loam, 0 to 1 percent slopes	52.48	3.52	0	40	3s
No	Norwood loam, 0 to 1 percent slopes, rarely flooded	44.53	2.99	0	55	2e
BcA	Dacosta sandy clay loam, 0 to 1 percent slopes	8.43	0.57	0	40	3s
W	Water	7.55	0.51	0	1	8
TOTALS		1489. 4(*)	100%	-	46.02	2.23

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water