

APPROVED BY THE TEXAS REAL ESTATE COMMISSION (TREC)



SELLER'S DISCLOSURE NOTICE

1292

CONCERNING THE PROPERTY AT $_$	1391 County Road 122	Hico
	(Street Addr	ess and City)
HIS NOTICE IS A DISCLOSURE OF SELLE ELLER AND IS NOT A SUBSTITUTE FOR A /ARRANTY OF ANY KIND BY SELLER OF	NY INSPECTIONS OR WARRANTIES TH	I OF THE PROPERTY AS OF THE DATE SIGNED BY HE PURCHASER MAY WISH TO OBTAIN. IT IS NOT A
eller (is [] is not occupying the Prop	perty. If unoccupied, how long since	Seller has occupied the Property?
. The Property has the items checked be		
Range	Oven	Microwave
Dishwasher	Trash Compactor	Disposal
Washer/Dryer Hookups	Window Screens	Rain Gutters
Security System	Fire Detection Equipment	Intercom System
	Smoke Detector	
	Smoke Detector-Hearing Impaired	
	Carbon Monoxide Alarm	
	Emergency Escape Ladder(s)	
TV Antenna	Cable TV Wiring	Satellite Dish
Ceiling Fan(s)	Attic Fan(s)	Exhaust Fan(s)
Central A/C	Central Heating	Wall/Window Air Conditioning
Plumbing System	Septic System	Public Sewer System
Patio/Decking	Outdoor Grill	Fences
Pool	Sauna	Spa Hot Tub
Pool Equipment	Pool Heater	Automatic Lawn Sprinkler System
Fireplace(s) & Chimney (Wood burning)		Fireplace(s) & Chimney (Mock)
Natural Gas Lines	/	Gas Fixtures
Liquid Propane Gas: LP Comn	nunity (Captive) LP on Property	
Fuel Gas Piping: Black Iron Pi	pe Corrugated Stainless Steel Tubing	gCopper
Garage: Attached	Not Attached	Carport
Garage Door Opener(s): Electron	nic(Control(s)
Water Heater: Gas	<u></u> E	Electric
Water Supply: City	Well MUD	Со-ор
Roof Type: Metal / Shins/e		Age:
Are you (Seller) aware of any of the need of repair? [] Yes [] No [] Unknown	above items that are not in working . If yes, then describe. (Attach additional she	condition, that have known defects, or that are in
*		

Fax:

1391 County Road 122 09-01-2023 Seller's Disclosure Notice Concerning the Property at Hico, TX 76457 Page 2 (Street Address and City) 2. Does the property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766, Health and Safety Code?* [Y Yes [] No [] Unknown. If the answer to this question is no or unknown, explain (Attach additional sheets if necessary): Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information. A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing impaired and specifies the locations for the installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install. Are you (Seller) aware of any known defects/malfunctions in any of the following? Write Yes (Y) if you are aware, write No (N) if you are not aware. ✓ Interior Walls Ceilings Exterior Walls Windows Roof Foundation/Slab(s) Walls/Fences Driveways Intercom System Plumbing/Sewers/Septics Electrical Systems Lighting Fixtures Other Structural Components (Describe): If the answer to any of the above is yes, explain. (Attach additional sheets if necessary): Are you (Seller) aware of any of the following conditions? Write Yes (Y) if you are aware, write No (N) if you are not aware. Active Termites (includes wood destroying insects) Previous Structural or Roof Repair Termite or Wood Rot Damage Needing Repair Hazardous or Toxic Waste Previous Termite Damage Asbestos Components Previous Termite Treatment Urea-formaldehyde Insulation ✓ Improper Drainage N Radon Gas Water Damage Not Due to a Flood Event Lead Based Paint Landfill, Settling, Soil Movement, Fault Lines Aluminum Wiring Single Blockable Main Drain in Pool/Hot Tub/Spa* Previous Fires

If the answer to any of the above is yes, explain. (Attach additional sheets if necessary):

Unplatted Easements
Subsurface Structure or Pits

Methamphetamine

Previous Use of Premises for Manufacture of

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Seller's Disclosure Notice Concerning the Property at	1391 County Road 122 Hico, TX 76457	09-01-2
	(Street Address and City)	_ Page 3
Are you (Seller) aware of any item, equipment, or system in a No (if you are not aware). If yes, explain. (attach additional s	or on the Property that is in need of repair? sheets if necessary).	Yes (if you are aware)
Are you (Seller) aware of any of the following conditions?* Write Present flood insurance coverage	e Yes (Y) if you are aware, write No (N) if you a	ire not aware.
Previous flooding due to a failure or breach of a reservoir		from a reservoir
Previous water penetration into a structure on the proper		
Write Yes (Y) if you are aware, and check wholly or partly as ap		
Located Wholly partly in a 100-year floodplain (
Located Wholly partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded))
Located wholly partly in a floodway		
Located Wholly partly in a flood pool		
✓ Located [] wholly [] partly in a reservoir		
If the answer to any of the above is yes, explain (attach addition	al sheets if necessary):	
(C) may include a regulatory floodway, flood pool, or r "500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate may on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chrisk of flooding. "Flood pool" means the area adjacent to a reservoir t reservoir and that is subject to controlled inundation under the m Engineers. "Flood insurance rate map" means the most recent Management Agency under the National Flood Insurance Act of "Floodway" means an area that is identified on the flood insincludes the channel of a river or other watercourse and the of a base flood, also referred to as a 100-year flood, without than a designated height. "Reservoir" means a water impoundment project opera intended to retain water or delay the runoff of water in a designa	p as a moderate flood hazard area, which ance of flooding, which is considered to that lies above the normal maximum operationangement of the United States Army Corps of flood hazard map published by the Fed 1968 (42 U.S.C. Section 4001 et seq.) surance rate map as a regulatory floodway, which adjacent land areas that must be reserved at cumulatively increasing the water surface of the surface	ting level of the of leral Emergency ich for the discharge elevation of more
Have you (Seller) ever filed a claim for flood damage to the prop Flood Insurance Program (NFIP)?* ☐ Yes ☑ No. If yes, exp	perty with any insurance provider, including the plain (attach additional sheets as necessary):	National
*Homes in high risk flood zones with mortgages fi flood insurance. Even when not required, the Federal En high risk, moderate risk, and low risk flood zones to purc property within the structure(s).	nergency Management Agency (FEMA) en	courages homeowners in

Seller's Disclosure Notice Concerning the Droperty at	1391 County Road 122 Hico, TX 76457	09-01-2023
Seller's Disclosure Notice Concerning the Property at	(Street Address and City)	Page 4
9. Are you (Seller) aware of any of the following? Write Yes (Y)		ware.
Room additions, structural modifications, or other compliance with building codes in effect at that time.	alterations or repairs made without necessity	essary permits or not in
Homeowners' Association or maintenance fees or ass	essments.	
Any "common area" (facilities such as pools, tenni with others.	s courts, walkways, or other areas) co-ow	rned in undivided interest
Any notices of violations of deed restrictions or govern Property.	mental ordinances affecting the condition or	use of the
Any lawsuits directly or indirectly affecting the Property	y.	
Any condition on the Property which materially affects	the physical health or safety of an individual.	
Any rainwater harvesting system located on the prosupply as an auxiliary water source.	operty that is larger than 500 gallons and	that uses a public water
Any portion of the property that is located in a ground	vater conservation district or a subsidence dis	strict.
If the answer to any of the above is yes, explain. (Attach addi	tional sheets if necessary):	
		V
	of the Gulf Intracoastal Waterway or within	n 1 000 feet of the man
10. If the property is located in a coastal area that is seaward high tide bordering the Gulf of Mexico, the property may (Chapter 61 or 63, Natural Resources Code, respectively) maybe required for repairs or improvements. Contact adjacent to public beaches for more information.	be subject to the Open Beaches Act or and a beachfront construction certificate	the Dune Protection Act or dune protection permit
high tide bordering the Gulf of Mexico, the property may (Chapter 61 or 63, Natural Resources Code, respectively) maybe required for repairs or improvements. Contact	the subject to the Open Beaches Act or and a beachfront construction certificate of the local government with ordinance author and may be affected by high noise or air in the pisse and compatible use zones is available Study prepared for a military installation as	the Dune Protection Act or dune protection permit athority over construction installation compatible use in the most recent Air and may be accessed on

The undersigned purchaser hereby acknowledges receipt of the foregoing notice.

Signature of Purchaser Date Signature of Purchaser Date



This form was prepared by the Texas Real Estate Commission in accordance with Texas Property Code § 5.008(b) and is to be used in conjunction with a contract for the sale of real property entered into on or after September 1, 2023. Texas Real Estate Commission, P.O. Box 12188, Austin, TX 78711-2188, 512-936-3000 (http://www.trec.texas.gov) TREC NO. 55-0. This form replaces OP-H.



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED. ©Texas Association of REALTORS®, Inc., 2004

CON	1391 County Road 122 ICERNING THE PROPERTY AT Hico, TX 76457			
Α. [DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:			
(1) Type of Treatment System: Septic Tank Aerobic Treatment	Unknown		
(2) Type of Distribution System: LATERIA LINE	Unknown		
(Approximate Location of Drain Field or Distribution System:	Unknown		
		_		
(4) Installer:	Unknown		
(5) Approximate Age: 2025 NEW OLDER HM 2005	 Unknown		
	MAINTENANCE INFORMATION:			
(1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? If yes, name of maintenance contractor: Phone: Contract expiration date: Maintenance contracts must be in effect to operate aerobic treatment and certain none account facilities.	Yes No		
(sewer facilities.) 2) Approximate date any tanks were last pumped?			
	3) Is Seller aware of any defect or malfunction in the on-site sewer facility? If yes, explain:	Yes No		
(-	4) Does Seller have manufacturer or warranty information available for review?	Yes 4No		
C. F	PLANNING MATERIALS, PERMITS, AND CONTRACTS:			
((1) The following items concerning the on-site sewer facility are attached: planning materials permit for original installation final inspection when OSSF was installed maintenance contract manufacturer information warranty information			
(2	(2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.			
(;	 It may be necessary for a buyer to have the permit to operate an on-si transferred to the buyer. 	ite sewer facility		
	DEN TI			

(TXR-1407) 1-7-04

Initialed for Identification by Buyer

and Seller from , Km

Page 1 of 2

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

Facility	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf) Single family dwelling (3 bedrooms; less than 2,500 sf) Single family dwelling (4 bedrooms; less than 3,500 sf) Single family dwelling (5 bedrooms; less than 4,500 sf) Single family dwelling (6 bedrooms; less than 5,500 sf) Mobile home, conder or townbours (4.2 bedrooms)	225 300 375 450 525	180 240 300 360 420
Mobile home, condo, or townhouse (1-2 bedroom) Mobile home, condo, or townhouse (each add'l bedroom)	225 75	180 60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Signature of Seller	8/17/25	Signature of Seller	8 17 25
Randall Morris Jr.	Date	Pamela Morris	Date
Receipt acknowledged by:			

Date

Signature of Buyer

Date

Signature of Buyer