



Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Jennings**
 Location: **6-8N-10E**
 Township: **Columbia**
 Acres: **84.65**
 Date: **8/23/2025**

LANDPROZ.COM

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: IN079, Soil Area Version: 30

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
HleAW	Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	16.50	19.6%		Ilw		118	4	8	35	2352	53	89	87	51	7
RzgB2	Ryker-Muscatatuck silt loams, karst, undulating, eroded	10.00	11.8%		Ile	3	139	5	9	49	1320	67	71	70	68	4
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	8.34	9.9%		Ilw	6	112	4	7	40	2820	55	84	84	64	6
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	8.07	9.5%		Ile		130	4	9	46		59	58	58	53	4

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
AddA	Avonburg silt loam, 0 to 2 percent slopes	7.94	9.4%		Ilw		145	5	10	49	2558	64	71	65	67	7
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	7.03	8.3%		Ilw		149	5	10	49	2674	58	83	78	73	8
RzhC3	Ryker-Grayford-Muscatatuck complex, karst, rolling, severely eroded	6.37	7.5%		IVe	6	120	4	8	42	972	58	60	60	57	3
WooAQ	Wilhite silt loam, overwash, 0 to 1 percent slopes, rarely flooded	6.12	7.2%		IVw		150	5	10	42	64	60	90	90	51	7
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	5.77	6.8%		lw	6	141	5	9	49	3247	55	82	78	77	8
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	5.27	6.2%		Ilw	7	133	5	9	46	3026	65	93	93	72	8
OfaAW	Oldenburg silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	1.59	1.9%		Ilw		115	4	8	39	245	51	89	89	63	7
BbhA	Bartle silt loam, 0 to 2 percent slopes	1.30	1.5%		Ilw		145	5	10	49		59	71	67	65	7
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	0.19	0.2%		Ilw		146	5	10	44	2280	64	89	89	57	8

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
HizE2	Hickory-Grayford silt loams, 12 to 25 percent slopes, eroded	0.16	0.2%		Vle	1	100	3	7	35	152	50	52	52	41	3
Weighted Average					2.23	2.2	131.5	4.5	8.8	43.7	1851.7	58.7	*n 78.6	*n 76.7	*n 61.8	*n 65

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method