



Soils Map



Soils data provided by USDA and NRCS.

©2025 AgriData, Inc.



State: **Indiana**
 County: **Jennings**
 Location: **6-8N-10E**
 Township: **Columbia**
 Acres: **148.81**
 Date: **8/23/2025**

LANDPROZ.COM

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: IN079, Soil Area Version: 30

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
RzgB2	Ryker-Muscatatuck silt loams, karst, undulating, eroded	23.05	15.5%		Ile	3	139	5	9	49	1320	67	71	70	68	4
HleAW	Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	19.87	13.4%		Ilw		118	4	8	35	2352	53	89	87	51	7
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	18.60	12.5%		Ile		130	4	8	45		57	60	60	58	4
AddA	Avonburg silt loam, 0 to 2 percent slopes	17.00	11.4%		Ilw		145	5	10	49	2558	64	71	65	67	7
PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	10.84	7.3%		Ile		130	4	9	46		59	58	58	53	4

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
RzhC3	Ryker-Grayford-Muscatatuck complex, karst, rolling, severely eroded	10.68	7.2%		IVe	6	120	4	8	42	972	58	60	60	57	3
WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	8.34	5.6%		IIw	6	112	4	7	40	2820	55	84	84	64	6
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	7.03	4.7%		IIw		149	5	10	49	2674	58	83	78	73	8
WooAQ	Wilhite silt loam, overwash, 0 to 1 percent slopes, rarely flooded	6.12	4.1%		IVw		150	5	10	42	64	60	90	90	51	7
StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	5.77	3.9%		Iw	6	141	5	9	49	3247	55	82	78	77	8
HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	5.27	3.5%		IIw	7	133	5	9	46	3026	65	93	93	72	8
BbhA	Bartle silt loam, 0 to 2 percent slopes	5.27	3.5%		IIw		145	5	10	49		59	71	67	65	7
BlgC3	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, severely eroded	3.95	2.7%		IVe		118	4	8	41	418	53	52	52	47	3
BlgC2	Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded	2.45	1.6%		IIe		128	5	9	45		54	58	56	56	4

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Tobacco Lbs	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
HizE2	Hickory-Grayford silt loams, 12 to 25 percent slopes, eroded	2.26	1.5%		Vle	1	100	3	7	35	152	50	52	52	41	3
OfaAW	Oldenburg silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	1.59	1.1%		Ilw		115	4	8	39	245	51	89	89	63	7
RzgC2	Ryker-Muscatatuck silt loams, karst, rolling, eroded	0.38	0.3%		Ille	2	129	5	9	45	1155	63	69	68	66	4
WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	0.19	0.1%		Ilw		146	5	10	44	2280	64	89	89	57	8
CcgD2	Caneyville and Grayford silt loams, 12 to 25 percent slopes, eroded	0.15	0.1%		Vle	2	76	3	5	27	140	38	54	54	47	3
Weighted Average					2.32	1.7	131.6	4.5	8.7	44.4	1422.6	59	*n 72.8	*n 71.1	*n 60.9	*n 59

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method