
## Whippy Ridge

Hampton County, South Carolina, 250.6 AC +/-







## | Boundary 247.81 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
Оу	Osier-Pickney complex, frequently flooded	132.0 6	53.29	0	22	5w
ВоА	Bonneau fine sand, 0 to 2 percent slopes	59.47	24.0	0	39	2s
AtA	Autryville sand, 0 to 2 percent slopes	18.4	7.43	0	49	2s
OcA	Ocilla fine sand, 0 to 2 percent slopes	13.33	5.38	0	43	3w
NoA	Noboco loamy sand, 0 to 2 percent slopes	8.45	3.41	0	68	1
EpC	Emporia loamy sand, 6 to 10 percent slopes	6.12	2.47	0	66	3e
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	3.86	1.56	0	71	2w
Ra	Rains fine sandy loam, 0 to 2 percent slopes	3.58	1.44	0	61	4w
Pk	Pickney loamy fine sand, ponded	1.15	0.46	0	32	6w
Pe	Pelham loamy sand, 0 to 2 percent slopes	1.13	0.46	0	40	4w
BaB	Blanton fine sand, 2 to 6 percent slopes	0.25	0.1	0	34	3s
Se	Seagate sand	0.01	0.0	0	48	3w
TOTALS		247.8 1(*)	100%	-	33.34	3.7

<sup>(\*)</sup> Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water