



| 57.66 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CSR2 | СРІ | NCCPI | CAP |
|-----------|--|--------------|-------|-------|-----|-------|------|
| 131C2 | Pershing silty clay loam, 5 to 9 percent slopes, moderately eroded | 10.23 | 17.74 | 62.0 | 0 | 69 | 3e |
| 792D2 | Armstrong clay loam, 9 to 14 percent slopes, moderately eroded | 9.91 | 17.19 | 7.0 | 0 | 58 | 4e |
| 423D2 | Bucknell clay loam, 9 to 14 percent slopes, moderately eroded | 8.19 | 14.2 | 8.0 | 0 | 60 | 4e |
| 23C2 | Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded | 7.74 | 13.42 | 62.0 | 0 | 76 | 3e |
| 179E2 | Gara clay loam, 14 to 18 percent slopes, moderately eroded | 5.81 | 10.08 | 23.0 | 0 | 63 | 6e |
| 179D2 | Gara clay loam, 9 to 14 percent slopes, moderately eroded | 5.3 | 9.19 | 43.0 | 0 | 73 | 4e |
| 822D2 | Lamoni clay loam, 9 to 14 percent slopes, moderately eroded | 2.57 | 4.46 | 11.0 | 0 | 63 | 4e |
| 131B | Pershing silt loam, 2 to 5 percent slopes | 2.45 | 4.25 | 70.0 | 0 | 74 | 3e |
| 223D2 | Rinda silty clay loam, 9 to 14 percent slopes, moderately eroded | 1.71 | 2.97 | 19.0 | 0 | 57 | 4e |
| 364B | Grundy silty clay loam, 2 to 5 percent slopes | 1.22 | 2.12 | 72.0 | 0 | 80 | 2e |
| 179F2 | Gara clay loam, 18 to 25 percent slopes, moderately eroded | 0.95 | 1.65 | 11.0 | 0 | 51 | 4e |
| 13B | Olmitz-Zook-Vesser complex, 0 to 5 percent slopes | 0.8 | 1.39 | 76.0 | 0 | 78 | 2e |
| 792D | Armstrong loam, 9 to 14 percent slopes | 0.63 | 1.09 | 10.0 | 0 | 69 | 4e |
| W | Water | 0.15 | 0.26 | - | 0 | - | - |
| TOTALS | | 57.66(*) | 100% | 34.83 | 1 | 66.0 | 3.78 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | ٠ | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water