
North Hendrix

Hampton County, South Carolina, 2537.62 AC +/-





Boundary

River/Creek

Water Body

| Boundary 2532.18 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	СРІ	NCCPI	CAP
Сх	Coxville loam	1023. 94	40.44	0	52	3w
Ra	Rains fine sandy loam, 0 to 2 percent slopes	692.4 6	27.35	0	61	4w
Ly	Lynchburg loamy fine sand, 0 to 2 percent slopes	313.3 3	12.37	0	59	2w
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	283.3 1	11.19	0	71	2w
ВоА	Bonneau fine sand, 0 to 2 percent slopes	117.6 3	4.65	0	39	2s
NoA	Noboco loamy sand, 0 to 2 percent slopes	70.63	2.79	0	68	1
AtA	Autryville sand, 0 to 2 percent slopes	11.06	0.44	0	49	2s
OcA	Ocilla fine sand, 0 to 2 percent slopes	9.78	0.39	0	43	3w
Pe	Pelham loamy sand, 0 to 2 percent slopes	4.42	0.17	0	40	4w
Ru	Rutlege loamy fine sand, ponded	3.81	0.15	0	25	7w
ЕрВ	Emporia loamy sand, 2 to 6 percent slopes	0.89	0.04	0	67	2e
Eo	Elloree loamy fine sand, occasionally flooded	0.67	0.03	0	34	6w
Нр	Haplaquents, loamy	0.25	0.01	0	70	6w
TOTALS		2532. 18(*)	100%	1	57.19	2.94

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water